# A REPORT OF THE ALFALFA AND MISCELLANEOUS LEGUMES VARIETY REVIEW BOARD



## ASSOCIATION OF OFFICIAL SEED CERTIFYING AGENCIES

# ALFALFA AND MISCELLANEOUS LEGUMES VARIETY REVIEW BOARD REPORT ©2019

Copyrighted Material of the Association of Official Seed Certifying Agencies (AOSCA)



## ALFALFA AND MISCELLANEOUS LEGUMES VARIETY REVIEW BOARD

# ASSOCIATION OF OFFICIAL SEED CERTIFYING AGENCIES (FEBRUARY 2019)

The Association of Official Seed Certifying Agencies (AOSCA) Alfalfa and Miscellaneous Legumes Variety Review Board reviewed the following varieties on February 7, 2019. The Board recommended the inclusion of these varieties for certification. Seed of these varieties may be certified, providing production meets all standards of the Seed Certifying Agency of the jurisdiction in which the seed is grown.

All variety information, including descriptions, claims, and research data to support any claim, was supplied to the Alfalfa and Miscellaneous Legumes Variety Review Board by the applicants. The Alfalfa and Miscellaneous Legumes Variety Review Board makes judgments regarding recommendation of varieties for inclusion into certification based on the data supplied. Beyond this, the Alfalfa and Miscellaneous Legumes Variety Review Board takes no position on the accuracy or truthfulness of any description or claim made by the applicants.

Further information on current procedures, application forms, and details regarding the Alfalfa and Miscellaneous Legumes Variety Review Board can be obtained from:

Chester Boruff, Chief Executive Officer AOSCA 1601 52nd Ave., Suite 1 Moline, Illinois 61265

Telephone (309) 736-0120 Fax (309) 736-0115 E-Mail cboruff@aosca.org

Respectfully submitted,

Timothy Blank, Chair Alfalfa and Miscellaneous Legumes Variety Review Board

# 2019 AOSCA ALFALFA & MISC LEGUMES VARIETY REVIEW BOARD TABLE OF CONTENTS

# PLACING THE CURSOR OVER THE DESIRED VARIETY/EXPERIMENTAL DESIGNATION & CLICKING WILL TAKE YOU DIRECTLY TO THE SUMMARY DESCRIPTION.

Company	Page	Amendment	Variety Name	Experimental Designation	Type
Alforex Seeds	1	В	AFX 429	<u>CW 103012</u>	Alfalfa
Alforex Seeds	2	A	<u>AFX 460</u>	<u>CW A113005</u>	Alfalfa
Alforex Seeds	3	A	<u>AFX 779</u>	<u>Magna 790</u>	Alfalfa
Alforex Seeds	4		HybriForce-4400	<u>AFXH144110,</u> <u>msSunstra-144110</u>	Alfalfa
Alforex Seeds	5	A	<u>Quail</u>	CW 065033	Alfalfa
Alforex Seeds	6			<u>AFX139067</u>	Alfalfa
Alforex Seeds	7			<u>AFX147087</u>	Alfalfa
Forage Genetics	9		<u>6439HVXR</u>	FG H0415A3139	Alfalfa
Forage Genetics	9	В	AmeriStand 457TQ RR	FG R411A107	Alfalfa
Forage Genetics	10	В	AmeriStand 480 HVXRR	FG RRL43M119	Alfalfa
Forage Genetics	11		AmeriStand 481 HVXRR	FG H0415C4115	Alfalfa
Forage Genetics	12	A	AmeriStand 518NT	FG 57W208	Alfalfa
Forage Genetics	13		AmeriStand 955NT RR	FG R813T452	Alfalfa
Forage Genetics	14	A	FF 4022.LH	FG 413H323	Alfalfa
Forage Genetics	15	В	GUNNER	FG 57M121	Alfalfa
Forage Genetics	16		HVX Tundra	FG H0315ML104	Alfalfa
Forage Genetics	17	A	Legend HvX 100 RR	FG RRL44M104	Alfalfa
Forage Genetics	18	A	LG 4HVXR100	FG RRL44M377	Alfalfa
Forage Genetics	19	A	LG 9C300	FG 99T097	Alfalfa
Forage Genetics	20	В	MPIII Max Q	FG 510M172	Alfalfa
Forage Genetics	21		Rebound AA	FG C0415C4159	Alfalfa
Forage Genetics	22		Sun Titan	FG 88T809	Alfalfa
Forage Genetics	23		WL 349HQ	FG C0415C4149	Alfalfa
Forage Genetics	24	В	WL 365HQ	FG 59M109	Alfalfa
Forage Genetics	25		WL 668HQ.RR	FG R913T453	Alfalfa
Forage Genetics	26	В		FG 1013T183	Alfalfa
Forage Genetics	27	В		FG 109T901	Alfalfa
Forage Genetics	28			FG 712M00	Alfalfa
Forage Genetics	29	В		FG 79T094	Alfalfa
Forage Genetics	30			FG 812M01	Alfalfa
Forage Genetics	31			FG 913M181	Alfalfa
Forage Genetics	32			FG C0316A3159	Alfalfa
Forage Genetics	33			FG C0316ML134	Alfalfa
Forage Genetics	34			FG C0415C3364	Alfalfa
Forage Genetics	35			FG C0415C4360	Alfalfa
1 orage Genetics	33			10 0011701300	7 1114114
		Amendment Ke	ey:		
		A – Name Chai			
		B – Description			
		C – Other			

# PLACING THE CURSOR OVER THE DESIRED VARIETY/EXPERIMENTAL DESIGNATION & CLICKING WILL TAKE YOU DIRECTLY TO THE SUMMARY DESCRIPTION.

Company	Page	Amendment	Variety Name	<b>Experimental Designation</b>	Type
Forage Genetics	36			FG C0516A3153	Alfalfa
Forage Genetics	37			FG H0415SN218	Alfalfa
Forage Genetics	38			FG H0415ST202	Alfalfa
Forage Genetics	39			FG C0516C4155	Alfalfa
Forage Genetics	40			FG H0316ML103	Alfalfa
Forage Genetics	41			FG H0415A3138	Alfalfa
Forage Genetics	42			FG R412A137	Alfalfa
Forage Genetics	43	В		FG R413A316	Alfalfa
Forage Genetics	44			FG R513M225S	Alfalfa
Forage Genetics	45			FG R513W227S	Alfalfa
Forage Genetics	46			FG RRL414W208	Alfalfa
Forage Genetics	47	В		FG RRL913T404	Alfalfa
Forage Genetics	48	В		FG RRL913T455	Alfalfa
Legacy Seeds	49		Alfamax HD 2 Plus	LS 1503	Alfalfa
Legacy Seeds	50		L-457HD+	LS 1502	Alfalfa
Legacy Seeds	51		Touchstone EQ	LS 1404	Alfalfa
Legacy Seeds	52			LS 1401	Alfalfa
Legacy Seeds	53			LS 1403	Alfalfa
Legacy Seeds	54			<u>LS 1405</u>	Alfalfa
Legacy Seeds	55			<u>LS 1501</u>	Alfalfa
Legacy Seeds	56			<u>LS 1510</u>	Alfalfa
S & W Seeds	57	В	<u>54HVX42</u>	L12XXP248, L12XXS248, SW248RL	Alfalfa
S & W Seeds	58	В	<u>54Q14</u>	<u>10YXP14, N09PY92</u>	Alfalfa
S & W Seeds	59	В	<u>54VR10</u>	14XXP20R, R13XXP133	Alfalfa
S & W Seeds	60	A	FSG 421LH	SW1402Z, 14ZZC02, W13ZZC42	Alfalfa
S & W Seeds	61			SW1404, 14XXP04, N13XXP71	Alfalfa
S & W Seeds	62			SW1412Y, 14YYP12, W13YYP81	Alfalfa
S & W Seeds	63			SW15WPQ09, 15XXP09, W14XXP64	Alfalfa
S & W Seeds	64			SW15XCA11, 15XXC11, N14XXC70	Alfalfa
S & W Seeds	65			SW15XPQ06, 15XXP06, W14XXP61	Alfalfa
S & W Seeds	66			SW15XPQ15, 15XXP15, N14XXP74	Alfalfa
S & W Seeds	67			SW15YCA20, 15YXC20, N14YXC92	Alfalfa
S & W Seeds	68			SW16XPS16, W15XPS60	Alfalfa
S & W Seeds	69			SW16ZPD02, 16ZPD02, W15ZPD41	Alfalfa

Company	Page	Amendment	Variety Name	<b>Experimental Designation</b>	Type
S & W Seeds	70	В		SW4203Z, 12ZZC03, W11ZZC55	Alfalfa
S & W Seeds	71	В		SW4306, 13XXC06, N12XYC72	Alfalfa
Smith Seed Services	72		Patagonia INTA	Ascasubi INTA	Hairy Vetch
		Amendment Key	y:		
		A – Name Chan	ge		
		B – Description			
		C – Other			

## AFX 429 CW 103012 (Exp)

## (Amended – Change Fall Dormancy from 3 to 4)

Variety Name	AFX 429	
Experimental De	esignation(s)	CW 103012
Date A&MLVR	B first recomm	nended this variety January 2016
Date(s) any prev	ious amendmer	ents were recommended January 2017, January 2018
Date this amenda	ment was subm	nitted November 29, 2018

#### **Origin and Breeding History**

AFX 429 is a synthetic variety developed by Alforex Seeds with 30 parent plants selected for dense crowns, high leaf to stem ratio, vigorous roots, and no stem, crown, or root rot. Parent plants were selected from a four year old Wisconsin yield trial and three year old Iowa, Minnesota, and Wisconsin yield trials, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Yield trial source plants composed of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), Aphanomyces root rot (race 2), Anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of AFX 429 traces to the following germplasm sources: Upper Edge (17%), CW 10-027 (83%). Breeder seed was produced under cage isolation near Woodland, California in 2010. Seed was bulk harvested from all parent plants as Synthetic generation 2.

#### **Areas of Probable Adaptation**

AFX 429 is adapted to the North Central area of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. AFX 429 has been tested in Iowa, Minnesota, and Wisconsin.

#### **Agronomic and Botanical Characteristics**

AFX 429 is a dormant variety with fall dormancy similar to FD class 4 check variety. Flower color observed in the Syn.2 generation is approximately 98% purple, 1% variegated and a trace of white. AFX 429 has Low multifoliolate leaf expression rating similar to the Low MF check variety. AFX 429 has high resistance to Anthracnose (race 1), Aphanomyces root rot (race 1), Bacterial wilt, Fusarium wilt, Phytophthora root rot, and Verticillium wilt. It has resistance to Aphanomyces root rot (race 2), Blue alfalfa aphid, Pea aphid, Spotted alfalfa aphid, and Stem Nematode. Reaction to Root knot nematode, has not been tested.

#### **Procedures for Maintaining Seed Stock**

Date this application was submitted: Nov 29, 2018

Seed increase of AFX 429 is on a limited generation basis with two generations of breeder, three generations of foundation, and certified seed classes. Breeder (Syn.1 or Syn.2), foundation (Syn.2, Syn.3 or Syn.4), and certified (Syn.3, Syn.4 or Syn.5) classes will be recognized. Production of Syn.2 breeder, Syn.3 foundation or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2010. Sufficient foundation seed for the projected life of the variety will be maintained by Alforex Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed of AFX 429 will be available in 2016. Certified acreage may not be published by AOSCA or member agencies.

<b>Generations</b> A	Allowed – Mark All That Apply	Length of Sta	and Limitation – If None, Please State
Foundation	Syn.2, Syn.3 or Syn.4	Foundation	3
Registered		Registered	
Certified	Syn.3, Syn.4, or Syn.5	Certified	6
PVP Informa No decision has		tection. This info	ormation can be forwarded to the PVP office.



Date recommended by the VRB: Feb 7, 2019

## Alfalfa AFX 460 CW A113005 (Exp) (Amended – Name Change)

Variety Name	AFX 460						
Experimental De	esignation(s)	CW A	113005				
Date A&MLVR	B first recomm	nended	this variet	у _	Janı	uary 2017	
Date(s) any prev	ious amendme	ents wer	e recomm	nende	d _	February 2018	}
Date this amend	ment was subn	nitted	9/17/18				

#### **Origin and Breeding History**

AFX 460 is a synthetic variety with 10 parent plants selected for low Acid Detergent Lignin (ADL), high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from a three year old Wisconsin selection nursery, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Nursery source plants composed of various populations that were developed by phenotypic recurrent selection for low Acid Detergent Lignin (ADL), winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), Aphanomyces root rot (race 2), Anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of AFX 460 traces to the following germplasm sources: CW 11-022 (100%). Breeder seed was produced under cage isolation near Woodland, California in 2011. Seed was bulk harvested from all parent plants as Synthetic generation 2.

#### **Areas of Probable Adaptation**

AFX 460 is adapted to the North Central area of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. AFX 460 has been tested in Iowa, Minnesota, and Wisconsin.

#### **Agronomic and Botanical Characteristics**

AFX 460 is a dormant variety with fall dormancy similar to FD class 4 check varieties. Flower color observed in the Syn.2 generation is approximately 99% purple with a trace of variegated, cream, white, and yellow. AFX 460 has high multifoliolate leaf expression rating similar to the high MF check variety. AFX 460 has high resistance to Anthracnose (race 1), Aphanomyces root rot (race 1), Bacterial wilt, Fusarium wilt, Phytophthora root rot, and Verticillium wilt. It has resistance to Blue alfalfa aphid, Pea aphid, Spotted alfalfa aphid, and Stem nematode. It has moderate resistance to Cowpea aphid. Reaction to Root knot nematode has not been tested.

#### **Procedures for Maintaining Seed Stock**

Seed increase of AFX 460 is on a limited generation basis with two generations of breeder, three generations of foundation, and certified seed classes. Breeder (Syn.1 or Syn.2), foundation (Syn.2, Syn.3 or Syn.4), and certified (Syn.3, Syn.4 or Syn.5) classes will be recognized. Production of Syn.2 breeder, Syn.3 foundation or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2011. Sufficient foundation seed for the projected life of the variety will be maintained by Alforex Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed of AFX 460 will be available in 2017. Certified acreage may not be published by AOSCA or member agencies.

Generations A	Allowed –	Length of Stan	d Limitation –
Mark All Tha	t Apply	If None, Please	State
Foundation	Syn.2, Syn.3 or Syn.4	Foundation	3
Registered	<u> </u>	Registered	
Certified	Syn.3, Syn.4, or Syn.5	Certified	6

#### **PVP Information**

No decision has been made regarding Plant Variety Protection. This information can be forwarded to the PVP office.



## AFX 779 098219 (Exp) (Amended – Name Change)

Variety Name	AFX 779				
Experimental De	esignation(s)	0982	19		
Date A&MLVR	B first recomn	nended	this variety	Jan	uary 2017
Date(s) any prev	rious amendme	ents wei	re recomme	ended	February 2018
Date this amend	ment was subr	nitted	9/17/18		

#### **Origin and Breeding History**

AFX 779 is a synthetic variety with 190 parent plants that were selected for aphid resistance, drought tolerance, frost tolerance, leaf disease resistance, persistence and agronomic characteristics from yield trials at two locations in Argentina. Parent plants were selected from various populations that were developed by a combination of phenotypic recurrent selection and strain crossing with selection for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, anthracnose (race 1), spotted alfalfa aphid, blue alfalfa aphid, and stem nematode. Parentage of AFX 779 traces to CUF 101 (19%), Cibola (14%), DK 191 (9%), Magna 860 (9%), SW9628 (9%), Magna 995 (8%), Magna 901 (6%), DK 193 (4%), Diamond (3%), DK 192 (1 %), and miscellaneous Alforex Seeds breeding populations (18%). Breeder seed (Syn.1) was produced under cage isolation near Anguil, Argentina in 2009. Seed was bulk harvested from all parent plants.

#### **Areas of Probable Adaptation**

AFX 779 is adapted to Moderately Winterhardy Intermountain and Southwest areas of the U.S. and Argentina and is intended for use in the Moderately Winterhardy Intermountain and Southwest areas of the U.S. and in Argentina. AFX 779 has been tested in California and Argentina.

#### **Agronomic and Botanical Characteristics**

AFX 779 is a nondormant variety with fall dormancy similar to FD class 7 check varieties. Flower color observed in the Syn.2 generation is approximately 99% purple, with a trace of variegated, white, cream, and yellow. Germination of AFX 779 under salt stress is similar to the tolerant check variety AFX 779 has high resistance to pea aphid, spotted alfalfa aphid, and cowpea aphid, with resistance to anthracnose (race 1), Fusarium wilt, Phytophthora root rot, bacterial wilt, Verticillium wilt, blue alfalfa aphid, and stem nematode. Reaction to root knot nematode and Aphanomyces root rot (race 1) has not been tested.

#### **Procedures for Maintaining Seed Stock**

Seed increase of AFX 779 is on a limited generation basis with two generations of breeder, and three generations of the foundation, and certified seed classes. Breeder (Syn.1 or Syn.2), foundation (Syn.2, Syn.3, or Syn.4), and certified (Syn.3, Syn.4, or Syn.5) classes will be recognized. Production of Syn.2 breeder, Syn.3 foundation, or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Anguil, Argentina in 2009. Sufficient foundation seed for the projected life of the variety will be maintained by Alforex Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed of AFX 779 will be available in 2017. Certified acreage may not be published by AOSCA or member agencies.

#### **PVP Information**

No decision has been made regarding Plant Variety Protection. This information can be forwarded to the PVP office.



## HybriForce-4400 AFXH144110, msSunstra-144110 (Exp)

#### **Origin and Breeding History**

HybriForce-4400 is a 75-95% hybrid alfalfa variety with parents consisting of a female clone, a maintainer clone, and a synthetic variety as the male pollenizer. The female clone was originally selected for male sterility, good agronomics, and good visual seed set from a full sib cross that was planted in Sloughhouse, CA. The clone was then progeny tested for seed yield, forage yield, stand persistence, and resistance to Phytophthora root rot, Aphanomyces root rot (Race 1), and Aphanomyces root rot (Race 2). This clone traces to Alforex Seeds experimental germplasm.

The maintainer clone was selected from a full sib greenhouse cross which was first screened for resistance to Phytophthora root rot and Aphanomyces root rot (race 1), and then selected for winterhardiness in a Wisconsin nursery. The clone was progeny tested for maintaining ability and seed yield, and then progeny tested for forage yield, stand persistence, and resistance to Phytophthora root rot, anthracnose (Race 1), Aphanomyces root rot (Race 1), and Aphanomyces root rot (Race 2). This clone traces to Alforex Seeds experimental germplasm.

The male pollenizer was developed as a synthetic variety consisting of 175 parental clones. These clones were progeny tested for one or more of the following traits: resistance to bacterial wilt, Fusarium wilt, Phytophthora root rot, anthracnose (Race 1), Verticillium wilt, Aphanomyces root rot (Race 1), and Aphanomyces root rot (Race 2). The parentage of the male pollenizer traces 100% to CW A113010.

Hybrid female breeder seed (D-1012) was produced by harvesting the seed from vegetatively propagated male sterile clones which were pollinated by vegetatively propagated maintainer clones in field isolation near Sloughhouse, CA in 2016 and 2017. Hybrid male breeder seed (CW A123011) was produced under cage isolation near Woodland, California in 2012. Male seed was bulk harvested from all parent plants as Synthetic generation 1. Synthetic generation 1 seed was planted in field isolation and bulk harvested as Synthetic generation 2.

#### **Areas of Probable Adaptation**

HybriForce-4400 is adapted to the North Central and East Central areas of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. HybriForce-4400 has been tested in Minnesota and Wisconsin.

#### **Agronomic and Botanical Characteristics**

HybriForce-4400 is a moderately dormant variety with fall dormancy similar to FD class 4 check variety. Flower color observed in the Syn.2 generation is approximately 90% purple, 9% variegated, and with a trace of cream, white, and yellow. HybriForce-4400 has high resistance to Anthracnose (race 1), Phytophthora root rot, Aphanomyces root rot (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Blue alfalfa aphid, and Stem nematode. It has resistance to Aphanomyces root rot (race 2), and Spotted alfalfa aphid. Reaction to Pea aphid and Root knot nematode has not been tested.

#### **Procedures for Maintaining Seed Stock**

Seed increase of HybriForce-4400 is on a limited generation basis. Female Breeder seed must be produced by harvesting seed from vegetatively propagated cytoplasmic male sterile clones that have been pollinated by vegetatively propagated maintainer clones in field isolation. Alforex Seeds will maintain sufficient breeder seed (Syn. 1) for the projected life of the variety. Female Breeder seed was produced under field isolation near Sloughhouse, California in 2016 and 2017. Male breeder seed was produced under cage isolation near Woodland, California in 2012. Alforex Seeds will maintain sufficient foundation seed (Syn. 2 or Syn. 3) for the projected life of the variety. Use of Syn. 3 male seed requires consent of the breeder. Stands of foundation and certified hybrid seed fields are limited to 3 and 5 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed of HybriForce-4400 will be available in 2019.

#### **PVP Information**

No decision has been made regarding Plant Variety Protection. This information can be forwarded to the PVP office.



## Quail CW 065033 (Exp) (Amended – Name Change)

Variety Name	Quail				
Experimental D	esignation(s)	CW 0	65033		
Date A&MLVR	B first recomm	nended 1	this variety	2014	
Date(s) any prev	vious amendme	nts wer	e recommend	ded	
Date this amend	ment was subn	nitted	8/21/18		

#### **Origin and Breeding History**

Quail is a synthetic variety with 65 parent plants selected for high forage dry matter yield, high forage milk per acre using Milk 2000, and/or high forage NDFD. Parent plants were selected from a three year old Wisconsin selection nursery, crossed in the greenhouse, and bulk harvested as Synthetic generation 1. Nursery source plants composed of various populations that were developed by phenotypic recurrent selection for winter hardiness, high forage dry matter yield, high NDFD (using Near Infrared Reflectance Spectroscopy), and for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot, anthracnose (race 1), and Leptosphaerulina leaf spot. Parentage of Quail traces to the following germplasm sources: QWEST (2%), Radar (2%), STEALTH SF (3%), STELLAR FG (8%), CW 500 (4%), and CW 06-102 (81%). Breeder seed was produced under cage isolation near Woodland, California in 2006. Seed was bulk harvested from all parent plants as Synthetic generation 2.

#### **Areas of Probable Adaptation**

Quail is adapted to the North Central area of the U.S. and is intended for use in the North Central, East Central, Great Plains, Moderately Winterhardy Intermountain and Winterhardy Intermountain areas of the U.S. Quail has been tested in Iowa, Minnesota, and Wisconsin

#### **Agronomic and Botanical Characteristics**

Quail is a moderately dormant variety with fall dormancy similar to FD class 5 check varieties. Flower color observed in the Syn.2 generation is approximately 99% purple, 1% white, and a trace variegated. Quail has moderate multifoliolate leaf expression rating similar to Moderate MF check variety.

Quail has high resistance to anthracnose (race 1), Aphanomyces root rot (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, and stem nematode; with resistance to pea aphid and root knot nematode; with moderate resistance to blue alfalfa aphid and cow pea aphid. Reaction to spotted alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Seed increase of Quail is on a limited generation basis with two generations of breeder, foundation, and certified seed classes. Breeder (Syn.2 or Syn.3), foundation (Syn.3 or Syn.4), and certified (Syn.4 or Syn.5) classes will be recognized. Production of Syn.3 breeder or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Woodland, California in 2006. Sufficient foundation seed for the projected life of the variety will be maintained by Alforex Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed of Quail will be available in 2014.

#### **PVP Information**

No decision has been made regarding Plant Variety Protection. This information can be forwarded to the PVP office.



## **AFX139067 (Exp)**

#### **Origin and Breeding History**

AFX139067 is a synthetic variety with 254 parent plants that were selected for aphid resistance, drought tolerance, frost tolerance, leaf disease resistance, persistence and agronomic characteristics from yield trials at three locations in Argentina. Parent plants were selected from various populations that were developed by a combination of phenotypic recurrent selection and strain crossing with selection for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, anthracnose (race 1), spotted alfalfa aphid, blue alfalfa aphid, and stem nematode. Parentage of AFX139067 traces to Magna 919 (23%), Magna 995 (17%), CW 194 (15%) and miscellaneous Alforex Seeds breeding populations (45%). Breeder seed (Syn.1) was produced under cage isolation near Anguil, Argentina in 2013. Seed was bulk harvested from all parent plants.

#### **Areas of Probable Adaptation**

AFX139067 is adapted to Moderately Winterhardy Intermountain and Southwest areas of the U.S. and Argentina and is intended for use in the Moderately Winterhardy Intermountain and Southwest areas of the U.S. and Argentina. AFX139067 has been tested in California and Argentina.

#### **Agronomic and Botanical Characteristics**

AFX139067 is a very nondormant variety with fall dormancy similar to FD class 9 check varieties. Flower color observed in the Syn.2 generation is approximately 99% purple, with a trace of variegated, white, cream, and yellow. AFX139067 has high resistance to anthracnose (race 1), Fusarium wilt, pea aphid, spotted alfalfa aphid, blue alfalfa aphid, and cowpea aphid, with resistance to Verticillium wilt and stem nematode, and moderate resistance to Phytophthora root rot and bacterial wilt. Reaction to root knot nematode and Aphanomyces root rot (race 1) has not been tested.

#### **Procedures for Maintaining Seed Stock**

Seed increase of AFX139067 is on a limited generation basis with two generations of breeder, and three generations of the foundation, and certified seed classes. Breeder (Syn.1 or Syn.2), foundation (Syn.2, Syn.3, or Syn.4), and certified (Syn.3, Syn.4, or Syn.5) classes will be recognized. Production of Syn.2 breeder, Syn.3 foundation, or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Anguil, Argentina in 2013. Sufficient foundation seed for the projected life of the variety will be maintained by Alforex Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed of AFX139067 will be available in 2019. Certified acreage may not be published by AOSCA or member agencies.

Generations A	llowed –	Length of Stan	d Limitation –
Mark All That	t Apply	If None, Please	State
Foundation	Syn.2, Syn.3, or Syn.4	Foundation	3
Registered		Registered	
Certified	Syn.3, Syn.4, or Syn.5	Certified	6

#### **PVP Information**

No decision has been made regarding Plant Variety Protection. This information can be forwarded to the PVP office.



## **AFX147087 (Exp)**

#### **Origin and Breeding History**

AFX147087 is a synthetic variety with 312 parent plants that were selected for aphid resistance, drought tolerance, frost tolerance, leaf disease resistance, persistence and agronomic characteristics from yield trials at five locations in Argentina. Parent plants were selected from various populations that were developed by a combination of phenotypic recurrent selection and strain crossing with selection for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, anthracnose (race 1), spotted alfalfa aphid, blue alfalfa aphid, and stem nematode. Parentage of AFX147087 traces to PGI 709 (14%), Pastura (12%), Magna 715 (11%), WL 442 (10%), Magna 787 (6%), Sutter (2%), and miscellaneous Alforex Seeds breeding populations (45%). Breeder seed (Syn.1) was produced under cage isolation near Anguil, Argentina in 2014. Seed was bulk harvested from all parent plants.

#### **Areas of Probable Adaptation**

AFX147087 is adapted to Moderately Winterhardy Intermountain and Southwest areas of the U.S. and Argentina and is intended for use in the Moderately Winterhardy Intermountain and Southwest areas of the U.S. and Argentina. AFX147087 has been tested in California and Argentina.

#### **Agronomic and Botanical Characteristics**

AFX147087 is a nondormant variety with fall dormancy similar to FD class 7 check varieties. Flower color observed in the Syn.2 generation is approximately 99% purple, with a trace of variegated, white, cream, and yellow. AFX147087 has high resistance to Fusarium wilt, pea aphid, spotted alfalfa aphid, cowpea aphid, and stem nematode with resistance to anthracnose (race 1), Phytophthora root rot, bacterial wilt, Verticillium wilt, and blue alfalfa aphid. Reaction to root knot nematode and Aphanomyces root rot (race 1) has not been tested.

#### **Procedures for Maintaining Seed Stock**

Seed increase of AFX147087 is on a limited generation basis with two generations of breeder, and three generations of the foundation, and certified seed classes. Breeder (Syn.1 or Syn.2), foundation (Syn.2, Syn.3, or Syn.4), and certified (Syn.3, Syn.4, or Syn.5) classes will be recognized. Production of Syn.2 breeder, Syn.3 foundation, or Syn.4 foundation seed requires consent of the breeder. Breeder seed was produced under cage isolation near Anguil, Argentina in 2014. Sufficient foundation seed for the projected life of the variety will be maintained by Alforex Seeds. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed of AFX147087 will be available in 2019. Certified acreage may not be published by AOSCA or member agencies.

Generations	Allowed –	Length of Stand	d Limitation –
Mark All Th	at Apply	If None, Please	State
Foundation	Syn.2, Syn.3, or Syn.4	Foundation	3
Registered		Registered	
Certified	Syn.3, Syn.4, or Syn.5	Certified	6

#### **PVP Information**

No decision has been made regarding Plant Variety Protection. This information can be forwarded to the PVP office.



## 6439HVXR FG H0415A3139 (Exp)

#### **Origin and Breeding History**

6439HVXR is a synthetic variety with 115 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

#### Areas of Probable Adaptation

6439HVXR is adapted to the North Central and East Central areas. This variety has been tested in Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

6439HVXR is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 99% purple with a trace of variegated, white, cream and yellow. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

6439HVXR has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2); with resistance to stem nematode, spotted alfalfa aphid and pea aphid. Reaction to root knot nematode (*M. hapla*) and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

**Generations Allowed –** 

Breeder seed (Syn1) was produced in 2015 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® and HarvXtra<sup>TM</sup> traits are patent protected; any and all seed increases of this variety requires an FGI seed production contract for the respective traits.

Length of Stand Limitation -

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Mark All That Apply		If None, Please State			
Foundation	X	Foundation	3		
Registered		Registered	None		
Certified	X	Certified	6		
PVP Informati	ion				

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



#### AmeriStand 457TQ RR FG R411A107 (Exp)

#### (Amended - Salt Tolerance of Germination Alfalfa Seeds)

Variety Name	AmeriStand 45	57TQ RR				
Experimental De	esignation(s)	FG R411A107				
Date A&MLVRB first recommended this variety January 10, 2017						
Date(s) any previous amendments were recommended						
Date this amend	ment was submi	tted November 3	0, 2018			

#### **Origin and Breeding History**

AmeriStand 457TQ RR is a synthetic variety with 110 parent plants. Parent plants contained the commercial Roundup Ready event J101 and were selected for resistance to Aphanomyces root rot resistance (Race 1 and Race 2) from FGI breeding populations previously selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2011.

#### **Areas of Probable Adaptation**

AmeriStand 457TQ RR is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Idaho, Iowa, Wisconsin and Washington and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

AmeriStand 457TQ RR is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 93% purple, 2% white, 2% yellow, 2% variegated and 1% cream. This variety has high multifoliolate leaf expression.

AmeriStand 457TQ RR has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and pea aphid; with resistance to spotted alfalfa aphid and stem nematode. Reaction to root knot nematode (*M. hapla*) and blue alfalfa aphid has not been tested. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

#### **Procedures for Maintaining Seed Stock:**

Breeder seed (Syn1) was produced in 2011 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2017 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation – If None, Please State		
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



### AmeriStand 480 HVXRR FG RRL43M119 (Exp)

(Amended – Salt Toleranc	e of Gerr	ninating	Alfalfa	Seeds)
--------------------------	-----------	----------	---------	--------

Variety Name	AmeriStand 480 HVXRR				
Experimental De	esignation(s)	RRL43M119			
Date A&MLVRB first recommended this variety February 9, 2017					
Date(s) any previous amendments were recommended					
Date this amend	ment was subn	nitted November	30, 2018		

#### **Origin and Breeding History**

AmeriStand 480 HVXRR is a synthetic variety with 270 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2013.

#### **Areas of Probable Adaptation**

AmeriStand 480 HVXRR is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Idaho, Washington, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

AmeriStand 480 HVXRR is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 92% purple, 3% cream, 2% yellow, 2% white and 1% variegated. This variety has high multifoliolate leaf expression. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

AmeriStand 480 HVXRR has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1); resistance to pea aphid, stem nematode and spotted alfalfa aphid. Reaction to root knot nematode (*M. hapla*) and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2013 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2017 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Mark All That Apply		Length of Stand Limitation If None, Please State		
Foundation Z	Κ	Foundation	3	
Registered		Registered	None	
Certified Z	ζ	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## AmeriStand 481 HVXRR FG H0415C4115 (Exp)

#### **Origin and Breeding History**

AmeriStand 481 HVXRR is a synthetic variety with 115 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by Acid Detergent Lignin (ADL), glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

#### **Areas of Probable Adaptation**

AmeriStand 481 HVXRR is adapted to the North Central and East Central areas. This variety has been tested in Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

AmeriStand 481 HVXRR is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 91% purple 5% cream, 3% white with a trace of variegated and yellow. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

AmeriStand 481 HVXRR has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2); with resistance to stem nematode, spotted alfalfa aphid and pea aphid. Reaction to root knot nematode (*M. hapla*) and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2015 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® and HarvXtra<sup>TM</sup> traits are patent protected; any and all seed increases of this variety requires an FGI seed production contract for the respective traits.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Length of Stand I If None, Please St	
Foundation	3
Registered	None
Certified	6
	If None, Please Some Foundation Registered

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## AmeriStand 518NT FG 57W208 (Exp) (Amended – Name Change)

Variety Name	AmeriStan	d 518NT		
Experimental De	signation(s)	FG 57W208		
Date A&MLVRB first recommended this variety			January 2013	
Date(s) previous amendments were recommended				
Date amendment	submitted	August 10, 2018		

#### **Origin and Breeding History**

AmeriStand 518NT is a synthetic variety with 14 parent plants that was developed by Forage Genetics International. Parent plants were selected for resistance to one or more of the following pests: Fusarium wilt, Verticillium wilt, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1). Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to Grandstand (29%), and six FGI experimental populations (71%). In 2007 Syn1 seed was produced in Nampa, ID, harvested in total on all parents and bulked to form breeder seed.

#### **Areas of Probable Adaptation**

AmeriStand 518NT is adapted to the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions of the U.S. and similar environments. The variety has been tested in Washington, Oregon, Idaho and Colorado and intended use is in the Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

AmeriStand 518NT is moderately fall dormant similar to the FD 5 check. Flower color (Syn 2) is 95% Purple, 2% Variegated, trace Yellow, 1% Cream and 2% White. It expresses a high degree of multifoliolate leafiness.

The variety is highly resistant to anthracnose, bacterial wilt, *Fusarium* wilt, Phytophthora root rot, *Verticillium* wilt, *Aphanomyces* root rot (race 1), Pea aphid, Northern root knot nematode (*M. hapla*) and stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Breeder (Syn 1), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Production of Syn 2 foundation seed requires consent of the breeder. Breeder seed (Syn1) was produced in 2007 near Nampa, ID. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if FG 57W208 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.



## AmeriStand 955NT RR FG R813T452 (Exp)

#### **Origin and Breeding History**

AmeriStand 955NT RR is a synthetic variety with 112 parent plants that was developed by Forage Genetics International. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: Fusarium wilt, Phytophthora root rot and stem nematode. A combination of Genotypic and Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed near Nampa, ID in 2013.

#### **Areas of Probable Adaptation**

AmeriStand 955NT RR is adapted to the Southwest U.S. and similar environments. This variety has been tested in California and is intended for use in the Southwest region.

#### **Agronomic and Botanical Characteristics**

AmeriStand 955NT RR is Very Non-dormant similar to the FD 9 check. Flower color (Syn 2) is 99% purple, with a trace of variegated, yellow, cream and white. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

AmeriStand 955NT RR is highly resistant to bacterial wilt, Fusarium wilt, Phytophthora root rot, pea aphid, spotted alfalfa aphid and stem nematode; resistant to Verticillium wilt and blue alfalfa aphid; and moderately resistant to anthracnose. It has not been tested for other pests.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2013 near Nampa, ID. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

The breeder requires that at least one glyphosate application be made during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety.) The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –	Length of Star	Length of Stand Limitation If None, Please State		
Mark All That Apply	If None, Please			
Foundation X	—— Foundation	3		
Registered	Registered	None		
Certified X	Certified	6		

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## FF 4022.LH FG 413H323 (Exp) (Amended – Name Change)

Variety Name	FF 4022.LH					
Experimental D	esignation(s)	FG 413H323				
Date A&MLVR	B first recomn	nended this variety	January, 2018			
Date(s) any previous amendments were recommended						
Date this amend	ment was subn	nitted November	r 30, 2018			

#### **Origin and Breeding History**

FF 4022.LH is a synthetic variety with 110 parent clones. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (Race 1 and Race 2). A combination of phenotypic and genotypic selection was used to identify the parent clones. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2013.

#### **Areas of Probable Adaptation**

FF 4022.LH is adapted to the North Central and East Central regions. This variety has been tested in Iowa, Indiana and Pennsylvania and is intended for use in the North Central and East Central regions.

#### **Agronomic and Botanical Characteristics**

FF 4022.LH is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 92% purple, 5% cream, 2% white with a trace yellow and variegated.

FF 4022.LH has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and potato leafhopper. Reaction to other pests has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2013. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2018 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Length of Star	Length of Stand Limitation -		
If None, Please	e State		
Foundation	3		
Registered	None		
Certified	6		
	If None, Please Foundation Registered		

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.

Date this application was submitted:	Jan 22, 2018	Date recommended by the VRB:	Feb 7, 2019	
--------------------------------------	--------------	------------------------------	-------------	--



#### **ALFALFA**

## GUNNER FG 57M121 (Exp)

## (Amended – Salt Tolerance Germinating Alfalfa Seeds)

Variety Name	Gunner					
Experimental De	esignation(s)	FG 57M1	21			
Date A&MLVRB first recommended this variety January, 2012						
Date(s) any previous amendments were recommended February 21, 2013						
Date this amend	ment was subn	nitted No	ovember 30.	2018		

#### **Origin and Breeding History**

GUNNER is a synthetic variety with 14 parent clones. Forage Genetics International experimental designation is FG 57M121. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent clones. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2007.

#### **Areas of Probable Adaptation**

GUNNER is adapted to the North Central, East Central, Great Plains and Winterhardy Intermountain. This variety has been tested in Nebraska, Pennsylvania, Idaho and Wisconsin and is intended for use in the North Central, East Central, Great Plains and Winterhardy Intermountain.

#### **Agronomic and Botanical Characteristics**

GUNNER is Moderately Fall Dormant similar to FD5 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 94% purple, 5% variegated and 1% yellow with a trace of cream and white. This variety has high multifoliolate leaf expression.

GUNNER has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, root knot nematode (Northern *M. Hapla*) and Aphanomyces root rot (Race 1); with resistance to pea aphid and stem nematode. Reaction to spotted alfalfa aphid and blue alfalfa aphid has not been tested. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2007. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

#### **Certified Seed Availability and Publication of Certified Seed Production**

Certified seed will be marketed in 2012.

Certified seed production acreage may be published by AOSCA and member agencies.

#### **PVP Information**

No decision has been made concerning Plant Variety Protection Act.

The information in this application may not be forwarded to the PVP office.



## HVX Tundra FG H0315ML104 (Exp)

#### **Origin and Breeding History**

HVX Tundra is a synthetic variety with 115 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (Race 1 and Race2). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

#### **Areas of Probable Adaptation**

HVX Tundra is adapted to the North Central and East Central areas. This variety has been tested in Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

HVX Tundra is Fall Dormant similar to FD3 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 96% purple, 2% white, 1% cream with a trace of variegated and yellow. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

HVX Tundra has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1); with resistance to pea aphid and moderate resistance to stem nematode. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2015 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® and HarvXtra<sup>TM</sup> traits are patent protected; any and all seed increases of this variety requires an FGI seed production contract for the respective traits.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

8	Length of Stand Limitation – If None, Please State		
Foundation	3		
Registered	None		
Certified	6		
	If None, Please Foundation Registered		

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.

Date this application was submitted:	Nov 29, 2018	Date recommended by the VRB:	Mar 14, 2019	
Dute tins application was saoinited.	1101 27, 2010	Dute recommended by the TRD.	11101 1 1, 2017	



## Legend HvX 100 RR FG RRL44M104 (Exp) (Amended – Name Change)

Variety Name Legend HvX 100 RR					
Experimental Designation(s) FG RRL4	4M104				
Date A&MLVRB first recommended this	variety January 2018				
Date(s) any previous amendments were recommended					
Date this amendment was submitted Ma	arch 9, 2018				

#### **Origin and Breeding History**

Legend HvX 100 RR is a synthetic variety with 115 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2014.

#### **Areas of Probable Adaptation**

Legend HvX 100 RR is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Idaho, Iowa, Pennsylvania and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

Legend HvX 100 RR is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 99% purple with a trace of white, variegated, yellow and cream. This variety has high multifoliolate leaf expression. Legend HvX 100 RR has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1); with resistance to stem nematode. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid, pea aphid and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2014 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2018 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Length		of Stand Limitation –			
Mark All That Apply	If None	If None, Please State			
Foundation X Registered Certified X	Foundat Register	red None			
PVP Information No decision has been made regard	— Certified	r Plant Variety Protection. The information	on in this application		
may not be forwarded to the PVP	office.	Date recommended by the VRR			



## LG 4HVXR100 **FG RRL44M377 (Exp)** (Amended – Name Change)

Variety Name	LG 4HVXR1	100					
Experimental De	esignation(s)	FG RI	RL44M37′	7			
Date A&MLVR	B first recomm	nended 1	this variety	y Jan	uary 24, 2	2018	
Date(s) any prev	ious amendme	ents wer	e recomm	ended			_
Date this amend	ment was subn	nitted	January 2	22, 2018	}		

#### **Origin and Breeding History**

LG 4HVXR100 is a synthetic variety with 54 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2014.

#### **Areas of Probable Adaptation**

LG 4HVXR100 is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Idaho, Iowa, Pennsylvania and Wisconsin and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

LG 4HVXR100 is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 99% purple with a trace of white, variegated, cream and yellow. This variety has high multifoliolate leaf expression.

LG 4HVXR100 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1); with resistance to stem nematode and pea aphid. Reaction to root knot nematode (M. hapla), spotted alfalfa aphid and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2014 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

#### **Certified Seed Availability and Publication of Certified Seed Production**

Certified seed will be available for sale in the spring of 2018 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –		Length of Star	Length of Stand Limitation –		
Mark All That Apply		If None, Please State			
Foundation	X	Foundation	3		
Registered		Registered	None		
Certified	X	Certified	6		
DVD Informatic	n				

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## LG 9C300 FG 99T097 (Exp) (Amended – Name Change)

Variety Name	LG 9C300				
Experimental D	esignation(s)	FG 99	ЭТ097		
Date A&MLVRB first recommended this variety					
Date(s) any previous amendments were recommended					
Date this amend	ment was subn	nitted	March 6, 20	18	

#### **Origin and Breeding History**

LG 9C300 is a synthetic variety with 223 parent plants that was developed by Forage Genetics International. Parent plants were selected from old forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to Milonga II (37%), FGI breeding lines (58%), Panalfa 90 (3%) and DK 194 (2%). In 2008 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

#### **Areas of Probable Adaptation**

LG 9C300 is adapted to the winter active regions of Argentina. The variety has been tested in Argentina and intended use in Argentina.

#### **Agronomic and Botanical Characteristics**

LG 9C300 is very nondormant similar to the FD 9 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White. This variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check

The variety is highly resistant to *Fusarium* wilt; resistant to anthracnose, Phytophthora root rot, pea aphid and stem nematode; and has moderate resistance to bacterial wilt and low resistance to *Aphanomyces* Root Rot (race 1). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Breeder (Syn 1), foundation (Syn 2) and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Breeder seed (Syn1) was produced in 2008 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if LG 9C300 is accepted for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

Descriptive information cannot be provided to the PVP office.

	Date this application was submitted:	Jan 22, 2018	Date recommended by the VRB:	Feb 7, 2019
--	--------------------------------------	--------------	------------------------------	-------------



## **MPIII Max Q** FG 510M172 (Exp)

## (Amended - Salt Tolerance of Germinating Alfalfa Seeds)

Variety Name	MPII MAX Q		
Experimental De	esignation(s) <u>FG 5</u>	10M172	
Date A&MLVR	B first recommended	this variety	January, 2018
Date(s) any prev	ious amendments we	re recommend	led
Date this amend	ment was submitted	November 3	30, 2018

#### **Origin and Breeding History**

MPIII MAX Q is a synthetic variety with 110 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: Masterpiece II (50%), various FGI experimental populations (50%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2010.

#### **Areas of Probable Adaptation**

MPIII MAX Q is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Idaho, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

MPIII MAX Q is Moderately Fall Dormant similar to FD5 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 98% purple, 1% variegated with a trace of white, yellow and cream. This variety has high multifoliolate leaf expression.

MPIII MAX Q has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), pea aphid and stem nematode; with resistance to spotted alfalfa aphid. Reaction to root knot nematode (M. hapla) and blue alfalfa aphid has not been tested. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2010. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2017 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation If None, Please State		
Foundation	X	Foundation	3	
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## Rebound AA FG C0415C4159 (Exp)

#### **Origin and Breeding History**

Rebound AA is a synthetic variety with 110 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: Rebound 6XT (50%) and various FGI experimental populations (50%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

#### **Areas of Probable Adaptation**

Rebound AA is adapted to the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain areas. This variety has been tested in Washington, Idaho, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

Rebound AA is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 96% purple, 2% white, 1% variegated with a trace of yellow and cream. This variety has high multifoliolate leaf expression. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

Rebound AA has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2); with resistance to pea aphid and spotted alfalfa aphid. Reaction to root knot nematode (*M. hapla*), stem nematode and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2015. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –		Length of Stan	Length of Stand Limitation –		
Mark All That Apply		If None, Please	If None, Please State		
Foundation	X	Foundation	3		
Registered		Registered	None		
Certified	X	Certified	6		

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## Sun Titan FG 88T809 (Exp)

#### **Origin and Breeding History**

Sun Titan is a synthetic variety with 120 parent plants. Parent plants were selected from forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, fall plant height, vigor, and freedom from leaf diseases). The germplasm sources used in the development trace to FGI elite breeding populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2008.

#### **Areas of Probable Adaptation**

Sun Titan is adapted to the Southwest. This variety has been tested in California and Arizona and is intended for use in the Southwest, USA and Mexico.

#### **Agronomic and Botanical Characteristics**

Sun Titan is a Non-Dormant similar to the FD 8 check. Flower color (Syn 2) is 99% purple, with a trace of variegated, yellow, cream and white. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

The variety is highly resistant to Fusarium wilt, Phytophthora root rot, spotted alfalfa aphid, stem nematode, pea aphid and blue alfalfa aphid; resistant to Anthracnose (race 1); with moderate resistance to bacterial wilt and Verticillium wilt. It has not been tested for other pest reactions. Sun Titan exhibits salt tolerance in germinating seeds similar to the tolerant check.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Holtville, CA in 2008. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –		Length of Sta	Length of Stand Limitation –		
Mark All That Apply		If None, Please State			
Foundation	X	Foundation	3		
Registered		Registered	None		
Certified	X	Certified	6		

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## WL 349HQ FG C0415C4149 (Exp)

#### **Origin and Breeding History**

WL 349HQ is a synthetic variety with 110 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

#### **Areas of Probable Adaptation**

WL 349HQ is adapted to the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain areas. This variety has been tested in Washington, Idaho, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

WL 349HQ is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 91% purple, 3% cream, 3% yellow, 2% variegated and 1% white. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

WL 349HQ has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and pea aphid. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid, stem nematode and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2015. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation –		
		If None, Please State		
Foundation	X	Foundation	3	
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## WL 365HQ FG 59M109 (Exp)

## (Amended - Salt Tolerance of Germinating Alfalfa Seed)

Variety Name	WL 365HQ					
Experimental De	esignation(s)	FG 59N	И109			
Date A&MLVRB first recommended this variety January, 2014						
Date(s) any prev	ious amendme	nts were	recommen	ded	January, 2015	
Date this amend	ment was subn	nitted	November	30, 20	018	

### **Origin and Breeding History**

WL 365HQ is a synthetic variety with 10 parent clones developed by Forage Genetics International. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode and Aphanomyces root rot (Race 1 and Race 2). A combination of phenotypic and genotypic selection was used to identify the parent clones. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2009.

#### **Areas of Probable Adaptation**

WL 365HQ is adapted to North Central, East Central and Winterhardy Intermountain regions. This variety has been tested in New York, Idaho and Wisconsin and is intended for use in the North Central, East Central and Winterhardy Intermountain regions.

## **Agronomic and Botanical Characteristics**

WL 365HQ is Moderately Fall Dormant similar to FD5 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 93% purple, 7% variegated with a trace of cream, white and yellow.

WL 365HQ has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), pea aphid and spotted alfalfa aphid; with resistance to stem nematode. Reaction to root knot nematode (Northern *M. hapla,*) and blue alfalfa aphid has not been tested. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2009. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be marketed in 2014.

Certified seed production acreage may not be published by AOSCA and member agencies.

#### **PVP Information**

No decision has been made concerning Plant Variety Protection Act.

The information in this application may not be forwarded to the PVP office.

Date this application was submitted:	Nov 29, 2018	Date recommended by the VRB:	Feb 7, 2019



## WL 668HQ.RR FG R913T453 (Exp)

#### **Origin and Breeding History**

WL 668HQ.RR is a synthetic variety with 126 parent plants that was developed by Forage Genetics International. Parent plants contain the commercial Roundup Ready event J101 and were selected from FGI breeding lines for glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: Fusarium wilt, Phytophthora root rot and stem nematode. A combination of Genotypic and Phenotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to various FGI experimental populations (100%). Syn1 seed was grown in field isolation near Nampa, ID in the fall of 2013. Syn1 seed was harvested in total on all parents and bulked to form breeder seed.

#### **Areas of Probable Adaptation**

WL 668HQ.RR is adapted to the Southwest U.S. and similar environments. This variety has been tested in California and is intended for use in the Southwest regions.

#### **Agronomic and Botanical Characteristics**

WL 668HQ.RR is Very Non-dormant similar to the FD 9 check. Flower color (Syn 2) is 99% purple, with a trace of variegated, yellow, cream and white.

WL 668HQ.RR is highly resistant to anthracnose (race 1), Fusarium wilt, Phytophthora root rot, bacterial wilt, pea aphid, spotted alfalfa aphid and stem nematode; with resistance to Verticillium wilt and blue alfalfa aphid. It has not been tested for other pests. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2013 near Nampa, ID. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

The breeder requires that at least one glyphosate application be made during early stand establishment so that cp4-epsps null segregate plants are removed from the seed field prior to pollination. (Null segregate plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety.) The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations miles	·u	Length of Str	ina Limitation		
<b>Mark All That App</b>	ly	If None, Plea	se State		
Foundation	X	Foundation	3		
Registered		Registered	None		
Certified	X	Certified	6		
<b>PVP Information</b>					
	made regarding submate lication may not be forward.	1.1		rriety Protection.	The
Date this application	was submitted: Nov 2	29, 2018	Date recommende	d by the VRB:	Feb 7, 2019

Length of Stand Limitation -



Generations Allowed -

## FG 1013T183 (Exp) (Amended – Salt Tolerance of Germinating Alfalfa Seeds)

Variety Name				
Experimental Designation(s)	FG 1013T183			
Date A&MLVRB first recomm	ended this variety	January, 2018		
Date(s) any previous amendments were recommended				
Date this amendment was subm	nitted November 3	30, 2018		

#### **Origin and Breeding History**

FG 1013T183 is a synthetic variety with 216 parent plants. Parent plants were selected from forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, fall plant height, vigor, and freedom from leaf diseases). The germplasm sources used in the development trace to FGI elite breeding populations (100%). Syn1 seed was grown in field isolation near Holtville, CA fall 2013. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2013.

#### **Areas of Probable Adaptation**

FG 1013T183 is adapted to the Southwest U.S. and similar environments. This variety has been tested in California and Arizona and is intended for use in the Southwest U.S, Mexico and Argentina regions.

#### **Agronomic and Botanical Characteristics**

FG 1013T183 is very Non-Dormant like the FD 11 check. Flower color (Syn 2) is 99% Purple, with a trace of Variegated, Yellow, Cream and White. The variety is highly resistant to spotted alfalfa aphid; resistant to Fusarium wilt and Phytophthora root; moderately resistant to anthracnose and Aphanomyces root rot (race 1) and low resistance to Verticillium wilt. It has not been tested for other pest reactions. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Holtville, CA in 2013. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –	Length of Stand Limitation –
Mark All That Apply	If None, Please State
Foundation X	Foundation 3
Registered	Registered None
Certified X	Certified 6

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## **FG 109T901 (Exp)** (Amended – High Resistance (HR) to Bacterial Wilt Disease

Variety Name	
Experimental Designation(s) FG 109T901	
Date A&MLVRB first recommended this variety January 26, 2018	
Date(s) any previous amendments were recommended	
Date this amendment was submitted November 30, 2018	
Origin and Breeding History	
FG 109T901 is a synthetic variety with 51 parent plants. Parent plants were selected from forage yield trials. Phen	iotypic
selection was used to identify the parent plants (persistence, fall plant height, vigor, and freedom from leaf disease	s). The
germplasm sources used in the development trace to Fertilac 11 (12%) and FGI elite breeding populations (88%).	Syn1
seed was harvested from an intercross of Syn0 parents in the greenhouse in January 2009, and from a field or cage	•

## **Areas of Probable Adaptation**

FG 109T901 is adapted to the Southwest. It has been tested in California and its intended for use in the Southwest USA, Mexico and Argentina.

near Holtville, CA fall 2009. In both cases seed was harvested in total on all parents and bulked to form breeder seed.

#### **Agronomic and Botanical Characteristics**

FG 109T901 is very Non-Dormant like the FD 11 check. Flower color (Syn 2) is 99% Purple, with a trace of Variegated, Yellow, Cream and White. The variety is highly resistant to spotted alfalfa aphid, blue alfalfa aphid and stem nematode; resistant to anthracnose, bacterial wilt, Fusarium wilt and Phytophthora root rot and Aphanomyces root rot (race 1); and moderately resistant to Verticillium wilt and Aphanomyces root rot (race 2). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Holtville, CA in 2009. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively

#### **Certified Seed Availability and Publication of Certified Seed Production**

Syn1 seed produced in the greenhouse was only used to establish fall dormancy tests.

Certified seed will be available for sale in the spring of 2018 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation – If None, Please State		
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

The information in this application may not be forwarded to the PVP office.



## FG 712M00 (Exp)

#### **Origin and Breeding History**

FG 712M00 is a synthetic variety with 165 parent plants. Parent plants were selected from old forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to FGI breeding lines (100%). In 2012 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

#### **Areas of Probable Adaptation**

FG 712M00 is adapted to the winter active regions of the Argentina. The variety has been tested in Argentina and intended for use in Winter active regions of Argentina.

#### **Agronomic and Botanical Characteristics**

FG 712M00 is Non-Dormant similar to the FD 8 check. Flower color (Syn2) is 99% purple, with a trace of variegated, yellow, cream and white. This variety is suitable for use in producing hay, haylage, greenchop and dehydrated product.

FG 712M00 is highly resistant to anthracnose (race 1), Fusarium wilt, pea aphid, spotted alfalfa aphid; resistant to bacterial wilt and Phytophthora root rot; and moderate resistant to blue alfalfa aphid. It has not been tested for other pest reactions.

#### **Procedures for Maintaining Seed Stock**

Breeder (Syn 1), foundation (Syn 2) and certified (Syn 2 or Syn 3) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Breeder seed (Syn1) was produced in 2012 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –	Length of Stand Limitation –
Mark All That Apply	If None, Please State
Foundation X	Foundation 3
Registered	Registered none
Certified X	Certified 6

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## FG 79T094 (Exp) (Amended – High Resistance (HR) to Spotted Alfalfa Aphid)

Variety Name		
Experimental Designation(s)	FG 79T094	
Date NA&MLVRB first accept	oted this variety	January, 2013
Date(s) previous amendments	were accepted	January, 2015
Date amendment submitted	November 30, 2	2018

#### **Origin and Breeding History**

FG 79T094 is a synthetic variety with 251 parent plants. Parent plants were selected from old forage yield trials Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to WL 611 (35%) and FGI breeding lines (65%). In 2008 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

#### **Areas of Probable Adaptation**

FG 79T094 is adapted to the winter active regions of Argentina and similar environments. The variety has been tested in Argentina and is intended for use in Argentina.

#### **Agronomic and Botanical Characteristics**

FG 79T094 is nondormant similar to the FD 8 check. Flower color (Syn 2) is 100% Purple, with a trace of Variegated, Yellow, Cream and White.

The variety is highly resistant pea aphid, spotted alfalfa aphid and stem nematode; resistant to Anthracnose, bacterial wilt, Fusarium wilt, Phytophthora root rot and blue alfalfa aphid; and has low resistance to Aphanomyces Root Rot (race 1). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Breeder (Syn 1), foundation (Syn 2 or Syn 3) and certified (Syn 3 or Syn 4) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Breeder seed (Syn1) was produced in 2008 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in 2013 if FG 79T094 is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.



## FG 812M01 (Exp)

#### **Origin and Breeding History**

FG 812M01 is a synthetic variety with 260 parent plants. Parent plants were selected from old forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, vigor and freedom from leaf diseases). The germplasm sources used in the development trace to FGI breeding lines (100%). In 2012 Syn1 seed was produced near Marcos Juarez, Argentina, harvested in total on all parents and bulked to form breeder seed.

#### **Areas of Probable Adaptation**

FG 812M01 is adapted to the winter active regions of the Argentina. The variety has been tested in Argentina and intended for use in Winter active regions of Argentina.

#### **Agronomic and Botanical Characteristics**

FG 812M01 is Very Non-Dormant similar to the FD 9 check. Flower color (Syn2) is 99% purple, with a trace of variegated, yellow, cream and white. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG 812M01 is highly resistant to anthracnose (race 1), Phytophthora root rot, pea aphid and Fusarium wilt; resistant to bacterial wilt, and spotted alfalfa aphid; and moderately resistant to blue alfalfa aphid. It has not been tested for other pest reactions.

#### **Procedures for Maintaining Seed Stock**

Breeder (Syn 1), foundation (Syn2) and certified (Syn2 or Syn3) classes will be recognized. Seed increase is on a limited generation basis with one generation each of breeder and two generations of foundation classes and certified seed classes. Breeder seed (Syn1) was produced in 2012 near Marcos Juarez, Argentina. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –	Length of Stand Limitation –
Mark All That Apply	If None, Please State
Foundation X	Foundation 3
Registered	Registered None
Certified X	Certified 6

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



## FG 913M181 (Exp)

#### **Origin and Breeding History**

FG 913M181 is a synthetic variety with 296 parent plants. Parent plants were selected from forage yield trials. Phenotypic selection was used to identify the parent plants (persistence, fall plant height, vigor, and freedom from leaf diseases). The germplasm sources used in the development trace to FGI elite breeding populations (100%). Syn1 seed was grown in field isolation near Holtville, CA fall 2013. Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2013.

#### **Areas of Probable Adaptation**

FG 913M181 is adapted to the Southwest. This variety has been tested in California and is intended for use in the Southwest USA, Mexico and Argentina.

#### **Agronomic and Botanical Characteristics**

FG 913M181 is Very Non-Dormant similar to the FD 10 check. Flower color (Syn 2) is 99% purple, with a trace of variegated, yellow, cream and white. This variety is suitable for use in producing hay, haylage, greenchop and dehydrated product.

The variety is highly resistant to anthracnose (race 1), Fusarium wilt, Verticillium wilt, Phytophthora root rot and spotted alfalfa aphid; resistant to bacteria wilt, Aphanomyces root rot (Race1); and moderately resistant to blue alfalfa aphid. It has not been tested for other pest reactions.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Holtville, CA in 2013. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2) seed for the projected life of the variety. Production of Syn2 foundation seed requires the consent of the breeder. Production of foundation (Syn3) seed from foundation (Syn2) seed is not permitted. Stands of foundation and certified seed fields are limited to 3 and 6 years respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Sta	Length of Stand Limitation –		
		If None, Please State			
Foundation	X	Foundation	3		
Registered		Registered	None		
Certified	X	Certified	6		

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG C0316A3159 (Exp)

# **Origin and Breeding History**

FG C0316A3159 is a synthetic variety with 115 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: LegenDairy XHD (50%) and various FGI experimental populations (50%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2016.

# **Areas of Probable Adaptation**

FG C0316A3159 is adapted to the North Central, East Central and Moderately Winterhardy Intermountain areas. This variety has been tested in Washington, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

## **Agronomic and Botanical Characteristics**

FG C0316A3159 is Fall Dormant similar to FD3 check. Test variety is Extremely Winterhardy similar to WS1 check. Flower Color (Syn2) is 97% purple, 1% cream, 1% white with a trace of yellow and variegated. This variety has high multifoliolate leaf expression. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG C0316A3159 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and pea aphid; with resistance to spotted alfalfa aphid. Reaction to root knot nematode (*M. hapla*), stem nematode and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2016. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation – If None, Please State		
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG C0316ML134 (Exp)

# **Origin and Breeding History**

FG C0316ML134 is a synthetic variety with 115 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2016.

## **Areas of Probable Adaptation**

FG C0316ML134 is adapted to the North Central, East Central and Moderately Winterhardy Intermountain areas. This variety has been tested in Washington, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

## **Agronomic and Botanical Characteristics**

FG C0316ML134 is Fall Dormant similar to FD3 check. Test variety is Extremely Winterhardy similar to WS1 check. Flower Color (Syn2) is 98% purple, 1% cream with a trace of yellow, white and variegated. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG C0316ML134 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot and Aphanomyces root rot (Race 1); with resistance to pea aphid. Reaction to root knot nematode (*M. hapla*), stem nematode, spotted alfalfa aphid and blue alfalfa aphid has not been tested.

# **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2016. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –		Length of Stand Limitation –		
Mark All That Apply		If None, Please State		
Foundation	X	Foundation	3	
Registered		Registered	None	
Certified	X	Certified	6	

## **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG C0415C3364 (Exp)

# **Origin and Breeding History**

FG C0415C3364 is a synthetic variety with 110 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

# **Areas of Probable Adaptation**

FG C0415C3364 is adapted to the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain areas. This variety has been tested in Washington, Idaho, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

# **Agronomic and Botanical Characteristics**

FG C0415C3364 is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 90% purple, 5% variegated, 2% yellow, 2% cream with a trace of white. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG C0415C3364 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2); with resistance to stem nematode. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid, pea aphid and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2015. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –		Length of Stand Limitation -		
Mark All That Apply		If None, Please State		
Foundation X		Foundation	3	
Registered		Registered	None	
Certified X		Certified	6	

# **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG C0415C4360 (Exp)

# **Origin and Breeding History**

FG C0415C4360 is a synthetic variety with 110 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

## **Areas of Probable Adaptation**

FG C0415C4360 is adapted to the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain areas. This variety has been tested in Washington, Idaho, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

## **Agronomic and Botanical Characteristics**

FG C0415C4360 is Moderately Fall Dormant similar to FD5 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 87% purple, 5% variegated, 4% cream, 2% yellow and 2% white. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG C0415C4360 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and pea aphid; with resistance to stem nematode. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2015. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		If None, Please State		
Registered _		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG C0516A3153 (Exp)

# **Origin and Breeding History**

FG C0516A3153 is a synthetic variety with 115 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2016.

# **Areas of Probable Adaptation**

FG C0516A3153 is adapted to the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain areas. This variety has been tested in Washington, Iowa, Wisconsin, Idaho and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

## **Agronomic and Botanical Characteristics**

FG C0516A3153 is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy similar to WS2 check. Flower Color (Syn2) is 98% purple, 1% cream with a trace of yellow, white and variegated. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG C0516A3153 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and Aphanomyces root rot (Race 2); with resistance to pea aphid and spotted alfalfa aphid. Reaction to root knot nematode (*M. hapla*), stem nematode and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2016. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –	Length of Sta	Length of Stand Limitation - If None, Please State		
Mark All That Apply	If None, Pleas			
Foundation X	Foundation	3		
Registered	Registered	None		
Certified X	Certified	6		

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG C0516C4155 (Exp)

# **Origin and Breeding History**

FG C0516C4155 is a synthetic variety with 120 parent plants. Parent clones were selected for forage yield, persistence and resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2016.

## **Areas of Probable Adaptation**

FG C0516C4155 is adapted to the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain areas. This variety has been tested in Washington, Iowa, Wisconsin, Idaho and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

## **Agronomic and Botanical Characteristics**

FG C0516C4155 is Moderately Fall Dormant similar to FD4 check. Test variety is Extremely Winterhardy similar to WS1 check. Flower Color (Syn2) is 90% purple, 7% cream, 1% white, 1% yellow with a trace of variegated. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG C0516C4155 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1) and Aphanomyces root rot (Race 2); with resistance to pea aphid and spotted alfalfa aphid. Reaction to root knot nematode (M. hapla), stem nematode and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced near Nampa, ID in 2016. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires the consent of the breeder. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –	Length of Stand Limitation -
Mark All That Apply	If None, Please State
Foundation X	Foundation 3
Registered	Registered None
Certified X	Certified 6

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG H0316ML103 (Exp)

## **Origin and Breeding History**

FG H0316ML103 is a synthetic variety with 120 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2016.

## **Areas of Probable Adaptation**

FG H0316ML103 is adapted to the North Central, Great Plains and East Central areas. This variety has been tested in Iowa, Wisconsin, Kansas and Pennsylvania and is intended for use in the North Central, East Central, Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

FG H0316ML103 is Fall Dormant similar to FD3 check. Test variety is Extremely Winterhardy, similar to WS1 check. Flower Color (Syn2) is 94% purple, 3% cream, 2% white with a trace of variegated and yellow. This variety has high multifoliolate leaf expression. This variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG H0316ML103 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1); with resistance to pea aphid. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid, stem nematode and blue alfalfa aphid has not been tested.

## **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2016 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® and HarvXtra<sup>TM</sup> traits are patent protected; any and all seed increases of this variety requires an FGI seed production contract for the respective traits.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –	Length of Star	Length of Stand Limitation – If None, Please State	
Mark All That Apply	If None, Please		
Foundation X	Foundation	3	
Registered	Registered	None	
Certified X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG H0415A3138 (Exp)

#### **Origin and Breeding History**

FG H0415A3138 is a synthetic variety with 115 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode and Aphanomyces root rot (multiple races). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

#### **Areas of Probable Adaptation**

FG H0415A3138 is adapted to the North Central and East Central areas. This variety has been tested in Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

FG H0415A3138 is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 94% purple 3% cream, 1% white, 1% yellow with a trace of variegated. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG H0415A3138 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2); with resistance to stem nematode and pea aphid. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid and blue alfalfa aphid has not been tested.

## **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2015 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® and HarvXtra<sup>TM</sup> traits are patent protected; any and all seed increases of this variety requires an FGI seed production contract for the respective traits.

#### **Certified Seed Availability and Publication of Certified Seed Production**

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation – If None, Please State		
Registered		Registered	None	
Certified _	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# **FG H0415SN218 (Exp)**

#### **Origin and Breeding History**

FG H0415SN218 is a synthetic variety with 49 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by Acid Detergent Lignin (ADL), glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (multiple races). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

#### **Areas of Probable Adaptation**

FG H0415SN218 is adapted to the Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain, regions. This variety has been tested in Idaho, Washington and Kansas and is intended for use in the Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

FG H0415SN218 is Moderately Fall Dormant similar to FD4 check. Flower Color (Syn2) is 99% purple, with a trace of cream, white, yellow and variegated. This variety has moderate multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop and dehydrated product.

FG H0415SN218 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot and stem nematode; with resistance to Aphanomyces root rot (Race 1), pea aphid and spotted alfalfa aphid. Reaction to root knot nematode (*M. hapla*) and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2015 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® and HarvXtra<sup>TM</sup> traits are patent protected; any and all seed increases of this variety requires an FGI seed production contract for the respective traits.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation -	
		If None, Please State	
Foundation _	X	Foundation	3
Registered		Registered	None
Certified	X	Certified	6

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# **FG H0415ST202 (Exp)**

#### **Origin and Breeding History**

FG H0415ST202 is a synthetic variety with 92 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected out of salt nurseries from FGI breeding lines and were chosen for reduced lignin as measured by Acid Detergent Lignin (ADL), glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose (multiple races), Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (multiple races). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2015.

#### **Areas of Probable Adaptation**

FG H0415ST202 is adapted to the Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain, regions. This variety has been tested in Idaho, Washington and Kansas and is intended for use in the Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

FG H0415ST202 is Moderately Fall Dormant similar to FD4 check. Flower Color (Syn2) is 99% purple, with a trace of cream, white, yellow and variegated. This variety has moderate multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop and dehydrated product.

FG H0415ST202 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, stem nematode; with resistance to Aphanomyces root rot (Race 1) and pea aphid. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid, Phytophthora root rot and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2015 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn1), foundation (Syn2), and certified (Syn2 or Syn3) classes will be recognized. Production of Syn2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® and HarvXtra<sup>TM</sup> traits are patent protected; any and all seed increases of this variety requires an FGI seed production contract for the respective traits.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation -	
		If None, Please State	
Foundation	X	Foundation	3
Registered		Registered	None
Certified	X	Certified	6

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG R412A137 (Exp)

# **Origin and Breeding History**

FG R412A137 is a synthetic variety with 110 parent plants. Parent plants contained the commercial Roundup Ready event J101 and were selected from breeding populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2012.

#### **Areas of Probable Adaptation**

FG R412A137 is adapted to the North Central, East Central and Great Plains areas. This variety has been tested in Nebraska, Minnesota, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central and Great Plains regions.

#### **Agronomic and Botanical Characteristics**

FG R412A137 is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 99% purple with a trace of variegated, cream, white and yellow. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG R412A137 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and pea aphid; with resistance to stem nematode. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2012 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply	S	Length of Stand Limitation - If None, Please State	
Foundation X	Foundation	3	
Registered	Registered	None	
Certified X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG R413A316 (Exp)

# (Amended – Salt Tolerance to Germinating Alfalfa Seeds)

Variety Name		
Experimental Designation(s)	FG R413A316	
Date A&MLVRB first recomm	ended this variety	January 26, 2018
Date(s) any previous amendme	nts were recommend	ded
Date this amendment was subm	nitted November 3	30, 2018

#### **Origin and Breeding History**

FG R413A316 is a synthetic variety with 110 parent plants. Parent plants contained the commercial Roundup Ready event J101 and were selected from breeding populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents and bulked to form breeder seed in 2013.

# **Areas of Probable Adaptation**

FG R413A316 is adapted to the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington, Idaho, Iowa, Wisconsin and Pennsylvania and is intended for use in the North Central, East Central, Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

FG R413A316 is Moderately Fall Dormant similar to FD4 check. Test variety is Very Winterhardy, similar to WS2 check. Flower Color (Syn2) is 94% purple, 3% cream, 2% variegated with a trace of white and yellow. This variety has high multifoliolate leaf expression.

FG R413A316 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2) and stem nematode; with resistance to pea aphid. Reaction to root knot nematode (*M. hapla*), spotted alfalfa aphid and blue alfalfa aphid has not been tested. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check.

#### **Procedures for Maintaining Seed Stock:**

Breeder seed (Syn1) was produced in 2013 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2018 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –		Length of Stand Limitation -		
Mark All That Apply		If None, Please State		
Foundation	X	Foundation	3	
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG R513M225S (Exp) (Amended - Salt Tolerance of Germinating Alfalfa Seeds

Variety Name				
Experimental Designation(s)	FG R513M225S			
Date A&MLVRB first recomm	nended this variety	January, 2018		
Date(s) any previous amendments were recommended				
Date this amendment was subn	nitted November 3	0. 2018		

## **Origin and Breeding History**

FG R513M225S is a synthetic variety with 11 parent plants. Parent plants contained the commercial Roundup Ready event J101 and were elite plants chosen out of salt nurseries from breeding populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was produced from a field isolation near Nampa, ID in 2013. Seed was harvested in total on all parents and bulked to form breeder seed.

## **Areas of Probable Adaptation**

FG R513M225S is adapted to the Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions of the U.S. and similar environments. The variety has been tested in Colorado, Washington, Idaho and Kansas. The intended use is in the Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions.

# **Agronomic and Botanical Characteristics**

FG R513M225S is moderately fall dormant similar to the FD 4 check. Flower color (Syn 2) is 99% Purple, with a trace of cream, Variegated, White and Yellow. It expresses a moderate degree of multifoliolate leaf expression.

The variety is highly resistant to anthracnose, bacterial wilt, fusarium wilt, Verticillium wilt, Aphanomyces root rot (race 1), spotted alfalfa aphid. Resistant to Phytophthora root rot, pea aphid, blue alfalfa aphid and stem nematode. It has not been tested for other pest reactions. Test variety is "Roundup Ready" with a minimum of 90% of the plants expressing tolerance to Roundup herbicide as measured in a greenhouse grow-out seedling evaluation. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2013 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

# Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2017 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation If None, Please State		
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# FG R513W227S (Exp)

#### **Origin and Breeding History**

FG R513W227S is a synthetic variety with 41 parent plants. Parent plants contained the commercial Roundup Ready event J101 and were elite plants chosen out of salt nurseries from breeding populations previously selected for glyphosate tolerance, forage yield, forage quality, persistence and/or resistance to one or more of the following pests: bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root rot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was produced from a field isolation near Nampa, ID in 2013. Seed was harvested in total on all parents and bulked to form breeder seed.

## **Areas of Probable Adaptation**

FG R513W227S is adapted to the Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions of the U.S. The variety has been tested in Kansas, Colorado, Washington and Idaho and intended use is in the Great Plains, Winterhardy Intermountain and Moderately Winterhardy Intermountain regions of the U.S.

#### **Agronomic and Botanical Characteristics**

FG R513W227S is moderately fall dormant similar to the FD 5 check. Flower color (Syn 2) is 99% purple, with a trace of cream, variegated, white and yellow. It expresses a moderate degree of multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop and dehydrated product.

The variety is highly resistant to anthracnose (race 1), bacterial wilt, fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (race 1) and stem nematode; with resistance to pea aphid, blue alfalfa aphid, spotted alfalfa aphid. It has not been tested for other pest reactions.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2013 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® trait is a patent protected trait; any and all seed increase on this variety requires a FGI seed production contract for Roundup Ready Alfalfa.

# Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		If None, Please State	
Foundation Registered	X	Foundation Registered	3 years None
Certified	X	Certified	6 years

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# **FG RRL414W208 (Exp)**

#### **Origin and Breeding History**

FG RRL414W208 is a synthetic variety with 66 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by Acid Detergent Lignin (ADL), glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: potato leafhopper, bacterial wilt, Fusarium wilt, Verticillium wilt, anthracnose, Phytophthora root rot, stem nematode, northern root knot nematode, and Aphanomyces root rot (Race 1 and Race 2). Phenotypic and genotypic selection was used to identify the parent plants. The following germplasm sources were used in the development of this variety: various FGI experimental populations (100%). Syn1 seed was harvested in total on all parents in Nampa, ID and bulked to form breeder seed in 2014.

#### **Areas of Probable Adaptation**

FG RRL414W208 is adapted to the Moderately Winterhardy Intermountain and Winterhardy Intermountain regions. This variety has been tested in Washington and Idaho and is intended for use in the Moderately Winterhardy Intermountain and Winterhardy Intermountain regions.

#### **Agronomic and Botanical Characteristics**

FG RRL414W208 is Moderately Fall Dormant similar to the FD4 check. Flower Color (Syn2) is 98% purple, 1% white, with a trace of cream, variegated and yellow. This variety has high multifoliolate leaf expression. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

FG RRL414W208 has high resistance to anthracnose (Race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, pea aphid and stem nematode; with resistance to Aphanomyces root rot (Race 1). Reaction to root knot nematode (M. hapla), spotted alfalfa aphid and blue alfalfa aphid has not been tested.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2014 near Nampa, Idaho. Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn1), foundation (Syn 2), and certified (Syn2 or Syn3) classes will be recognized. Production of Syn 2 foundation seed requires consent of the breeder. Forage Genetics will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively. At least one glyphosate application is required during early stand establishment so that cp4-epsps null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). The Roundup Ready® and HarvXtra<sup>TM</sup> traits are patent protected; any and all seed increases of this variety requires an FGI seed production contract for the respective traits.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2019 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Mark All That Apply		Length of Stand Limitation – If None, Please State		
		Foundation	3	
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.

	Date this application was submitted:	Nov 29, 2018	Date recommended by the VRB:	Mar 14, 2019
--	--------------------------------------	--------------	------------------------------	--------------



# FG RRL913T404 (Exp) (Amended – Salt Tolerance of Germinating Alfalfa Seeds)

Variety Name				
Experimental Designation(s)	FG RRL913T404			
Date A&MLVRB first recomn	nended this variety	January 10, 2017		
Date(s) any previous amendments were recommended				
Date this amendment was subr	nitted November 3	30, 2018		

#### **Origin and Breeding History**

FG RRL913T404 is a synthetic variety with 137 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: Fusarium wilt, Phytophthora root rot and stem nematode. Phenotypic and genotypic selection was used to identify the parent plants. The germplasm sources used in the development trace to various FGI experimental populations (100%). Syn1 seed was harvested from an intercross of from a field or cage isolation near Nampa, Idaho in the fall of 2013. Seed was harvested in total on all parents and bulked to form breeder seed.

#### **Areas of Probable Adaptation**

FG RRL913T404 is adapted to the nondormant regions of the southwest U.S. and similar environments. It has been tested in California and is intended for use in the Southwest.

## **Agronomic and Botanical Characteristics**

FG RRL913T404 is very nondormant similar to the FD 8 check. Flower color (Syn2) is 99% purple with a trace of cream, yellow, variegated and white flowers.

FG RRL913T404 is highly resistant to *Fusarium* wilt and pea aphid and resistant to anthracnose, bacterial wilt, *Phytophthora* root rot, spotted alfalfa aphid and stem nematode. It has not been tested for other pest reactions. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. The variety is suitable for producing hay, haylage, greenchop or dehydrated product

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2013 near Nampa, Idaho. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires consent of the breeder.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2017 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		<b>Length of Stand Limitation If None, Please State</b>	
Foundation	X	Foundation	3
Registered		Registered	None
Certified	X	Certified	6

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

The information in this application may not be forwarded to the PVP office.



# FG RRL913T455 (Exp) (Amended – Salt Tolerance of Germinating Alfalfa Seeds)

Variety Name				
Experimental Designation(s) FG R	LRL913T455			
Date A&MLVRB first recommended	this variety January 2017			
Date(s) any previous amendments were recommended				
Date this amendment was submitted	November 30, 2018			

#### **Origin and Breeding History**

FG RRL913T455 is a synthetic variety with 84 parent plants. Parent plants contain the commercial HarvXtra event KK179 and the Roundup Ready event J101. Plants were selected from FGI breeding lines for reduced lignin as measured by ADL, glyphosate tolerance, forage yield, persistence and/or resistance to one or more of the following pests: Fusarium wilt, Phytophthora root rot and stem nematode. Phenotypic selection and genotypic was used to identify the parent plants. The germplasm sources used in the development trace to various FGI experimental populations (100%). Syn1 seed was harvested from an intercross of from a field or cage isolation near Nampa, Idaho in the fall of 2013. Seed was harvested in total on all parents and bulked to form breeder seed.

## **Areas of Probable Adaptation**

FG RRL913T455 is adapted to the nondormant regions of the Southwest U.S. and similar environments. It has been tested in California and is intended for use in the Southwest.

#### **Agronomic and Botanical Characteristics**

FG RRL913T455 is very nondormant similar to the FD 8 check. Flower color (Syn2) is 99% purple with a trace of cream, yellow, variegated and white flowers.

FG RRL913T455 is highly resistant to Anthracnose, *Fusarium* wilt, *Phytophthora* root rot, pea aphid, spotted alfalfa aphid and stem nematode and Moderately resistant to bacterial wilt. It has not been tested for other pest reactions. Test variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. The variety is suitable for producing hay, haylage, greenchop or dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Breeder seed (Syn1) was produced in 2013 near Nampa, Idaho. Forage Genetics will maintain sufficient breeder (Syn1) and/or foundation (Syn2 or Syn3) seed for the projected life of the variety. Production of Syn3 foundation seed requires consent of the breeder.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2017 if is accepted for certification. The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –		Length of Star	ıd Limitation –	
Mark All That Apply		If None, Please State		
Foundation	X	Foundation	3	
Registered		Registered	None	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. The information in this application may not be forwarded to the PVP office.



# Alfamax HD 2 Plus LS 1503 (Exp)

# **Origin and Breeding History**

Alfamax HD 2 Plus (LS 1503) is a synthetic variety with 93 parent plants that was developed by Legacy Seeds, LLC. The 93 parent plants were selected phenotypically based on high forage yield, high forage quality, good winter survival and the absence of root and crown diseases. The breeder seed was produced near Nampa, ID in 2015.

## **Areas of Probable Adaptation**

This variety is adapted for use in the North central and East central regions. It has been tested in Wisconsin and is intended for use in the North central and East central regions.

# **Agronomic and Botanical Characteristics**

Alfamax HD 2 Plus is a moderately dormant variety similar to the FD4 check. Flower color (Syn 2) is approximately 90% purple and 9% variegated with traces of white, yellow and cream.

This variety has high resistance to Anthracnose (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (race 1) and Aphanomyces root rot (race 2). It is moderately resistant to Stem Nematode. It has not been tested for resistance to pea aphid, spotted aphid, blue alfalfa aphid or root knot nematode.

## **Procedures for Maintaining Seed Stock**

Breeder seed was produced in 2015. Two generations each for breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) are recognized. Legacy Seeds will maintain sufficient foundation seed (Syn 2 or Syn 3) for the projected life of the variety.

#### **Certified Seed Availability and Publication of Certified Seed Production**

Seed may be marketed in 2019. Certified seed production acreage may not be published by AOSCA and member agencies.

Generations Allowed –		Length of Stand Limitation –		
Mark All That Apply		If None, Please State		
Foundation	X	Foundation	3	
Registered		Registered		
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made concerning Plant Variety Protection. This information can be forwarded to the PVP office.



# L-457HD+ LS 1502 (Exp)

# **Origin and Breeding History**

L-457HD+ (LS 1502) is a synthetic variety with 98 parent plants that was developed by Legacy Seeds, LLC. The 98 parent plants were selected phenotypically based on high forage yield, high forage quality, good winter survival and the absence of root and crown diseases. The breeder seed was produced near Nampa, ID in 2015.

# **Areas of Probable Adaptation**

This variety is adapted for use in the North central and East central regions. It has been tested in Wisconsin and is intended for use in the North central and East central regions.

# **Agronomic and Botanical Characteristics**

L-457HD+ is a moderately dormant variety similar to the FD4 check. Flower color (Syn 2) is approximately 93% purple and 6% variegated with traces of white, yellow and cream.

This variety has high resistance to Anthracnose (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (race 1). It is moderately resistant to Stem Nematode and Aphanomyces root rot (race 2). It has not been tested for resistance to pea aphid, spotted aphid, blue alfalfa aphid or root-knot nematode.

## **Procedures for Maintaining Seed Stock**

Generations Allowed –

Breeder seed was produced in 2015. Two generations each for breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) are recognized. Legacy Seeds will maintain sufficient foundation seed (Syn 2 or Syn 3) for the projected life of the variety.

#### **Certified Seed Availability and Publication of Certified Seed Production**

Seed may be marketed in 2019. Certified seed production acreage may not be published by AOSCA and member agencies.

**Length of Stand Limitation –** 

Mark All Tha	at Apply	If None, I	lease State		
Foundation	X	Foundation	3		
Registered		Registered	·	_	
Certified	X	Certified	6	_	
PVP Informa No decision has to the PVP off	as been made conc	cerning Plant Variety Pr	otection. This ir	nformation c	an be forwarded
Date this applic	eation was submitted:	Nov 29, 2018	Date recommended	by the VRB:	Feb 7, 2019



# Touchstone EQ LS 1404 (Exp)

# **Origin and Breeding History**

Touchstone EQ (LS 1404) is a synthetic variety with 90 parent plants that was developed by Legacy Seeds, LLC. The 90 parent plants were selected phenotypically based on high forage yield, high forage quality, good winter survival and the absence of root and crown diseases. The breeder seed was produced near Nampa, ID in 2014.

## **Areas of Probable Adaptation**

This variety is adapted for use in the North central and East central regions. It has been tested in Wisconsin and is intended for use in the North central and East central regions.

# **Agronomic and Botanical Characteristics**

Touchstone EQ is a moderately dormant variety similar to the FD4 check. Flower color (Syn 2) is approximately 94% purple and 5% variegated with traces of white, yellow and cream.

This variety has high resistance to Anthracnose (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (race 1). It has moderate resistance to Aphanomyces root rot (race 2). It has not been tested for resistance to pea aphid, spotted aphid, blue alfalfa aphid, stem nematode or root-knot nematode.

## **Procedures for Maintaining Seed Stock**

Breeder seed was produced in 2014. Two generations each for breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) are recognized. Legacy Seeds will maintain sufficient foundation seed (Syn 2 or Syn 3) for the projected life of the variety.

#### **Certified Seed Availability and Publication of Certified Seed Production**

Seed may be marketed in 2019. Certified seed production acreage may not be published by AOSCA and member agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation – If None, Please State		
Registered		Registered		
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made concerning Plant Variety Protection. This information can be forwarded to the PVP office.



# LS 1401 (Exp)

## **Origin and Breeding History**

LS 1401 is a synthetic variety with 102 parent plants that was developed by Legacy Seeds, LLC. The 102 parent plants were selected phenotypically based on high forage yield, good winter survival and the absence of root and crown diseases. The breeder seed was produced near Nampa, ID in 2014.

## **Areas of Probable Adaptation**

This variety is adapted for use in the North central and East central regions. It has been tested in Wisconsin and is intended for use in the North central and East central regions.

## **Agronomic and Botanical Characteristics**

LS 1401 is a moderately dormant variety similar to the FD4 check. Flower color (Syn 2) is approximately 95% purple and 4% variegated with traces of white, yellow and cream.

This variety has high resistance to Anthracnose (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), Aphanomyces root rot (race 2) and Stem Nematode. It has not been tested for resistance to pea aphid, spotted aphid, blue alfalfa aphid or root-knot nematode.

# **Procedures for Maintaining Seed Stock**

Breeder seed was produced in 2014. Two generations each for breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) are recognized. Legacy Seeds will maintain sufficient foundation seed (Syn 2 or Syn 3) for the projected life of the variety.

#### Certified Seed Availability and Publication of Certified Seed Production

Seed may be marketed in 2019. Certified seed production acreage may not be published by AOSCA and member agencies.

Generations Allowed –	Length of Sta	and Limitation –	
Mark All That Apply	If None, Plea	se State	
Foundation X	Foundation	3	
Registered	Registered		
Certified X	Certified	6	
<b>PVP Information</b> No decision has been made con to the PVP office.	cerning Plant Variety Protec	ction. This information	can be forwarded
Date this application was submitted:	Nov 29, 2018 Date	recommended by the VRB:	Feb 7, 2019



# LS 1403 (Exp)

## **Origin and Breeding History**

LS 1403 is a synthetic variety with 70 parent plants that was developed by Legacy Seeds, LLC. The 70 parent plants were selected phenotypically based on high forage yield, high forage quality, good winter survival and the absence of root and crown diseases. The breeder seed was produced near Nampa, ID in 2014.

## **Areas of Probable Adaptation**

This variety is adapted for use in the North central and East central regions. It has been tested in Wisconsin and is intended for use in the North central and East central regions.

# **Agronomic and Botanical Characteristics**

LS 1403 is a moderately dormant variety similar to the FD4 check. Flower color (Syn 2) is approximately 97% purple and 2% variegated with traces of white, yellow and cream.

This variety has high resistance to Anthracnose (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (race 1). It has resistance to Stem Nematode. It is moderately resistant to Aphanomyces root rot (race 2). It has not been tested for resistance to pea aphid, spotted aphid, blue alfalfa aphid or root-knot nematode.

# **Procedures for Maintaining Seed Stock**

**Generations Allowed –** 

Breeder seed was produced in 2014. Two generations each for breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) are recognized. Legacy Seeds will maintain sufficient foundation seed (Syn 2 or Syn 3) for the projected life of the variety.

# Certified Seed Availability and Publication of Certified Seed Production

Seed may be marketed in 2019. Certified seed production acreage may not be published by AOSCA and member agencies.

**Length of Stand Limitation –** 

Mark All That Apply		If None, Please	If None, Please State		
Foundation	X	Foundation	3		
Registered		Registered	<u> </u>		
Certified	X	Certified	6		
PVP Informa	ation				
No decision h	as been made con	cerning Plant Variety Protection	on. This information can be forwarded		
to the PVP of	fice.	-			



# LS 1405 (Exp)

## **Origin and Breeding History**

LS 1405 is a synthetic variety with 80 parent plants that was developed by Legacy Seeds, LLC. The 80 parent plants were selected phenotypically based on high forage yield, good winter survival and the absence of root and crown diseases. Prior to going to the field nursery, the parent plants had been selected for resistance to Aphanomyces root rot (race 2). The breeder seed was produced near Nampa, ID in 2014.

# **Areas of Probable Adaptation**

This variety is adapted for use in the North central and East central regions. It has been tested in Wisconsin and is intended for use in the North central and East central regions.

# **Agronomic and Botanical Characteristics**

LS 1405 is a moderately dormant variety similar to the FD4 check. Flower color (Syn 2) is approximately 89% purple and 10% variegated with traces of white, yellow and cream.

This variety has high resistance to Anthracnose (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (race 1) and Aphanomyces root rot (race 2). It has moderate resistance to Stem Nematode. It has not been tested for resistance to pea aphid, spotted aphid, blue alfalfa aphid or root-knot nematode.

## **Procedures for Maintaining Seed Stock**

Breeder seed was produced in 2014. Two generations each for breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) are recognized. Legacy Seeds will maintain sufficient foundation seed (Syn 2 or Syn 3) for the projected life of the variety.

## Certified Seed Availability and Publication of Certified Seed Production

Seed may be marketed in 2019. Certified seed production acreage may not be published by AOSCA and member agencies.

Generations Allowed –		Length of Stand Limitation –		
Mark All Th	at Apply	If None, Pleas	e State	
Foundation	X	Foundation	3	
Registered		Registered	_	
Certified	X	Certified	6	

#### **PVP Information**

No decision has been made concerning Plant Variety Protection. This information can be forwarded to the PVP office.



# LS 1501 (Exp)

## **Origin and Breeding History**

LS 1501 is a synthetic variety with 72 parent plants that was developed by Legacy Seeds, LLC. The 72 parent plants were selected near Evansville, WI in the spring of 2015 from an old yield trial. Phenotypic selection was based on good winter survival after four winters and the absence of root and crown diseases. All of the components had previously been selected for high forage yield and high forage quality. The breeder seed was produced near Nampa, ID in 2015.

## **Areas of Probable Adaptation**

This variety is adapted for use in the North central and East central regions. It has been tested in Wisconsin and is intended for use in the North central and East central regions.

# **Agronomic and Botanical Characteristics**

LS 1501 is a moderately dormant variety similar to the FD5 check. Flower color (Syn 2) is approximately 96% purple and 3% variegated with traces of white, yellow and cream.

This variety has high resistance to Anthracnose (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (race 1). It has resistance to Stem Nematode. It is moderately resistant to Aphanomyces root rot (race 2). It has not been tested for resistance to pea aphid, spotted aphid, blue alfalfa aphid or root-knot nematode.

## **Procedures for Maintaining Seed Stock**

**Generations Allowed –** 

Breeder seed was produced in 2015. Two generations each for breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) are recognized. Legacy Seeds will maintain sufficient foundation seed (Syn 2 or Syn 3) for the projected life of the variety.

#### Certified Seed Availability and Publication of Certified Seed Production

Seed may be marketed in 2019. Certified seed production acreage may not be published by AOSCA and member agencies.

**Length of Stand Limitation –** 

Mark Ali Inat	Apply	II None	e, Piease St	ate	
Foundation	X	Foundat	tion	3	
Registered		Register	red	<u></u>	
Certified	X	Certifie	d	6	
<b>PVP Informati</b> No decision has to the PVP office	been made conc	erning Plant Variety	Protection.	This information of	an be forwarded
Date this applicat	ion was submitted:	Nov 29, 2018	Date recor	mmended by the VRB:	Feb 7, 2019



# LS 1510 (Exp)

## **Origin and Breeding History**

LS 1510 is a synthetic variety with 93 parent plants that was developed by Legacy Seeds, LLC. The 93 parent plants were selected phenotypically based on high forage yield, high forage quality, good winter survival and the absence of root and crown diseases. The breeder seed was produced near Nampa, ID in 2015.

## **Areas of Probable Adaptation**

This variety is adapted for use in the North central and East central regions. It has been tested in Wisconsin and is intended for use in the North central and East central regions.

# **Agronomic and Botanical Characteristics**

LS 1510 is a moderately dormant variety similar to the FD4 check. Flower color (Syn 2) is approximately 92% purple and 7% variegated with traces of white, yellow and cream.

This variety has high resistance to Anthracnose (race 1), Bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces (race 1) and Aphanomyces root rot (race 2). It is resistant to Stem Nematode. It has not been tested for resistance to pea aphid, spotted aphid, blue alfalfa aphid or root knot nematode.

# **Procedures for Maintaining Seed Stock**

Date this application was submitted: Nov 29, 2018

**Generations Allowed –** 

Breeder seed was produced in 2015. Two generations each for breeder (Syn 1 or Syn 2), foundation (Syn 2 or Syn 3), and certified (Syn 3 or Syn 4) are recognized. Legacy Seeds will maintain sufficient foundation seed (Syn 2 or Syn 3) for the projected life of the variety.

# Certified Seed Availability and Publication of Certified Seed Production

Seed may be marketed in 2019. Certified seed production acreage may not be published by AOSCA and member agencies.

**Length of Stand Limitation –** 

pply	If None, Please	State
X	Foundation	3
	Registered	
X	Certified	6
ı een made conceri	ning Plant Variety Protection	on. This information can be forwarded
	X X X een made concern	Foundation Registered X Certified  een made concerning Plant Variety Protection



Date recommended by the VRB: Feb 7, 2019

# 54HVX42

# L12XXP248, L12XXS248, SW248RL (Exp) (Amended – High Resistance (HR) to Phytophthora Root Rot Disease)

Variety Name	54HVX42			
Experimental De	esignation(s)	L12X	XP248, L122	XXS248, SW248RL
Date A&MLVR	B first recomn	nended	this variety	February 14, 2017
Date(s) any prev	rious amendme	ents wer	e recommend	ded
Date this amend	ment was subr	nitted	November 3	30, 2018

# **Origin and Breeding History**

54HVX42 (Experimental designations L12XXP248, L12XXS248, SW248RL) is a thirty-clone synthetic variety that was developed using the isolated crossing block method. Parent plants were selected by S&W Seed Company from an S&W Seed Company experimental for forage yield, persistence, forage quality, and or resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1&2), and stem nematode. Parent plants contain tolerance to Roundup® (glyphosate) herbicide conferred by the CP4 5-enolpyruvylshikimate-3-phosphate synthase (*cp4-epsps*) transgene, specifically, the USDA deregulated Roundup Ready® alfalfa transgenic events J101 (OECD unique identifiers: MON-00101). Parent plants also have reduced lignin content conferred by down regulated caffeoyl CoA 3-*O*-methyltransferase (CCOMT), specifically, USDA deregulated transgenic event KK179 (OECD unique identifier: MON 00179-5). Breeder seed (Syn 1) was produced in greenhouse isolation in 2012 in Arlington, WI. Seed was bulked in total.

#### **Areas of Probable Adaptation**

54HVX42 is adapted to the North Central and Moderately Winterhardy Intermountain regions of the U.S. and similar environments. The variety has been tested in Wisconsin and Washington. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States.

## **Agronomic and Botanical Characteristics**

54HVX42 is moderately dormant, similar to the FD 4 check. Flower color (Syn 2) is 67% purple, 30% variegated, 1% cream, 1% white and a trace of yellow. Test variety 54HVX42 is "Roundup Ready®" with a minimum of 90% of plants expressing tolerance to Roundup® herbicide as measured in a greenhouse grow-out seedling evaluation. The variety is highly resistant to Anthracnose (Race 1), bacterial wilt, Fusarium wilt, Aphanomyces root rot (Race 1), Phytophthora root rot, and Verticillium wilt. It is resistant to pea aphid, spotted alfalfa aphid and stem nematode. It is moderately resistant to Aphanomyces root rot (Race 2). It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2), and certified (Syn 2 or Syn 3) classes will be recognized. At least one glyphosate application is required during early stand establishment so that *cp4-epsps* null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). Breeder seed (Syn 1) was produced in greenhouse isolation in 2012 in Arlington. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2017 if 54HVX42 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Mark All That Apply		Length of Stand Limitation – If None, Please State		
Registered Certified	X	Certified	6 years	

## **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected. Descriptive information can be provided to the PVP office.

	Date this application was submitted:	Nov 29, 2018	Date recommended by the VRB:	Feb 7, 2019
--	--------------------------------------	--------------	------------------------------	-------------



# 54Q14 10YXP14, N09PY92 (Exp) (Amended - Resistance (R) to Stem Nematode)

Variety Name	54Q14		
Experimental D	esignation(s)	10YXP14, N09PY	792
Date A&MLVR	B first recomme	ended this variety	March 24, 2015
Date(s) any prev	vious amendmer	nts were recommer	nded
Date this amend	ment was subm	itted November	26, 2018

#### **Origin and Breeding History**

54Q14(Experimental designation 10YXP14, N09PY92) is an intracross of 168 parent plants (Syn 1) selected by DuPont Pioneer Hi-Bred International from Pioneer experimentals selected for forage yield, persistence, improved digestible fiber based on ADL and various fiber digestibility measurements using NIR, standability and or resistance to one or more of the following pests: bacterial wilt, *Fusarium* wilt, *Verticillium wilt*, *Phytophthora* root rot, *Aphanomyces* root rot (Race1&2) and stem nematode. Parent plants were identified using phenotypic selection in selection nurseries for standability (lodging tolerance), forage quality, increased pectin, persistence, agronomic characteristics and improved forage yield. Breeder seed (Syn 2) was grown in cage isolate in 2010 in Connell WA on 220 plants that were started in the greenhouse and transplanted to field. Seed was bulked in total.

#### **Areas of Probable Adaptation**

54Q14 is adapted to the moderately winterhardy and winterhardy intermountain regions of the U.S. and similar environments. The variety has been tested in Washington, Wisconsin, Michigan, and Ontario, Canada

#### **Agronomic and Botanical Characteristics**

54Q14 is moderately dormant, similar to the FD 4 check. Flower color (Syn 2) is 97% purple, 1% variegated 1% white with a trace of yellow and cream. The variety is highly resistant to *Aphanomyces* root rot (race 1), bacterial wilt, *Verticillium* wilt, *Fusarium* wilt, Phytophthora root rot and anthracnose. It is resistant to Northern root knot nematode (*M. hapla*), *Aphanomyces* root rot (race 2), pea aphid, stem nematode and spotted alfalfa aphid. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Seed increase is on a limited generation basis with one generation each of breeder and foundation and two generations of certified seed classes. Breeder (Syn 2), foundation (Syn 3-4), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 4 foundation seed requires consent of the breeder. Breeder seed was produced in cage isolation in 2010 in Connell, WA. S&W Seed Company will maintain sufficient foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2015 of 54Q14

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected.

The information in this application may not be forwarded to the PVP office.



# 54VR10 14XXP20R, R13XXP133 (Exp)

(Amended – Resistance (R) to Fusarium Wilt Disease)

Variety Name	54VR10					
Experimental D	esignation(s)	14XX	XP20R, R13	XXP13	33	
Date A&MLVR	B first recomm	nended	this variety	Jan	uary 31, 2017	
Date(s) any prev	vious amendme	ents we	re recomme	nded	January 24, 2018	
Date this amend	ment was subm	nitted	November	r 30, 20	)18	

#### **Origin and Breeding History**

54VR10 (Experimental designation 14XXP20R, R13XXP133) is an intracross of 148 parent plants selected by S&W Seed Company from a S&W Seed Company experimental selected for forage yield, persistence, forage quality, standability, high resistance to Aphanomyces root rot (Race 2), and/or resistance to one or more of the following diseases and pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1), and stem nematode. Parent plants were identified using phenotypic selection in selection nurseries for standability (lodging resistance), forage quality, persistence, agronomic characteristics, and improved forage yield. Parent plants contain tolerance to Roundup® (glyphosate) herbicide conferred by the CP4 5-enolpyruvylshikimate-3-phosphate synthase (*cp4-epsps*) transgene, specifically, the USDA deregulated Roundup Ready® alfalfa transgenic events J101 (OECD unique identifiers: MON-00101). Breeder seed (Syn 1) was grown in the greenhouse isolation in early 2014 in Arlington, WI. Seed was bulked in total.

#### **Areas of Probable Adaptation**

54VR10 is adapted to the North Central and Moderately Winterhardy Intermountain regions of the U.S. and similar environments. The variety has been tested in Wisconsin and Washington. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States.

#### **Agronomic and Botanical Characteristics**

54VR10 is moderately dormant, similar to the FD 4 check. It is winterhardy. Flower color (Syn 2) is 98% purple, 1% white, and traces of yellow, variegated and cream. 54VR10 is "Roundup Ready®" with a minimum of 90% of the plants expressing tolerance to Roundup® herbicide as measured in a greenhouse grow-out seedling evaluation. The variety is highly resistant to Anthracnose (Race 1), bacterial wilt, Aphanomyces root rot (Race 1), Aphanomyces root rot (Race 2), Phytophthora root rot, pea aphid, and Verticillium wilt. It is resistant to spotted alfalfa aphid, Fusarium wilt and stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and two generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2 or 3), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. At least one glyphosate application is required during early stand establishment so that *cp4-epsps* null segregant plants are removed from the seed field prior to pollination. (Null segregant plants are the plants that do not contain the Roundup Ready® trait due to normal genetic segregation in this variety). Breeder seed (Syn 1) was produced in greenhouse isolation in early 2014 in Arlington. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed will be available for sale in the spring of 2017 if 54VR10 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Mark All That Apply		Length of Stand Limitation – If None, Please State		
Registered		Registered		
Certified	X	Certified	6 years	

#### **PVP Information**

No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected. Descriptive information can be provided to the PVP office.

Date this application was submitted:	Nov 29, 2018	Date recommended by the VRB:	Feb 7, 2019
	- 59 -	2019 Alfalfa & Misc I	Legumes VRB

Association of Official Seed Certifying Agencies

# **FSG 421LH** SW1402Z, 14ZZC02, W13ZZC42 (Exp)

(Amended – Name Change)

Variety Name	FSG 421LH					
Experimental De	esignation(s)	SW14	102Z, 14Z	ZZC0:	2, W	/13ZZC42
Date A&MLVRB first recommended this variety February 14, 2017						
Date(s) any previous amendments were recommended January 24, 2018						
No Date this amend					_	
		•	-			

#### **Origin and Breeding History**

FSG 421LH - SW1402Z, 14ZZC02, W13ZZC42 (all experimental designations) is a 19 clone synthetic in which all parents originated from S&W germplasms, were selected based on half sib performance for forage yield under potato leafhopper pressure, persistence, forage quality, and or resistance to one or more of the following diseases and/or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race1&2), and potato leafhopper resistance. Seed of the SYN 1 was bulked by component. Breeder seed (SYN 1) was grown in cage isolation in 2014 on 6 replicates of 19 parent plants in Connell, WA. SYN 1 seed was harvested by parent plant bulking all individual replicates and bulked equally by component parent plant.

#### **Areas of Probable Adaptation**

FSG 421LH is adapted to the North Central and East Central regions of the U.S. and similar environments. The variety has been tested in Wisconsin and Ohio. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain, Southeast and Great Plains areas of the United States.

#### **Agronomic and Botanical Characteristics**

FSG 421LH is moderately dormant, similar to the FD 4 check. It is very winterhardy. Flower color (Syn 2) is 36% purple, 38% variegated, 15% cream, and 10% white with a trace of yellow. The variety is highly resistant to Anthracnose (Race 1), bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, potato leafhopper and Aphanomyces root rot (Race 1 and 2). It is resistant to pea aphid, and spotted alfalfa aphid. It is moderately resistant to stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2 or 3), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn1) was produced in greenhouse isolation in 2014 in Connell Washington. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### **Certified Seed Availability and Publication of Certified Seed Production**

Certified seed may be available for sale in the spring of 2017 if FSG 421LH is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed –	Length of Stand Limitation –		
Mark All That Apply	If None, Please	se State	
Foundation X	Foundation	3 years	
Registered	Registered		
Certified X	Certified	6 years	
PVP Information			
No decision has been made regarding submissi	on of an application	on for Plant Variety Protection. If application is made,	
the Title V certification option will not be select	eted. Descriptive in	nformation can be provided to the PVP office.	
Date this application was submitted: Nov 2	9, 2018	Date recommended by the VRB: Feb 7, 2019	_
	- 60 -	2019 Alfalfa & Misc Legumes VRB	



# SW1404, 14XXP04, N13XXP71 (Exp)

## **Origin and Breeding History**

SW1404, 14XXP04, N13XXP71 (all experimental designations), is an intracross of 52 parent plants (Syn 1) selected by S&W Seed Company from S&W experimentals selected for forage yield, persistence, forage quality, and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1 and Race 2) and stem nematode. Parent plants were identified using phenotypic selection in selection nurseries for increased forage quality, persistence, agronomic characteristics and improved forage yield. Breeder seed (Syn 2) was grown in cage isolation in Connell, WA in 2014. Seed was bulked in total.

#### **Areas of Probable Adaptation**

This variety is adapted to the North Central, East Central, and the Moderately Winterhardy Intermountain areas of the United States. SW1404 has been tested in Minnesota, Wisconsin, Washington and Pennsylvania. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

# **Agronomic and Botanical Characteristics**

SW1404 is moderately dormant, similar to the FD 4 check. Flower color (Syn 3) is 99% purple, with a trace of variegated, white, yellow, and cream. SW1404 is highly resistant to Anthracnose (Race 1), Aphanomyces root rot (Race 1 and Race 2), bacterial wilt, Verticillium wilt, Fusarium wilt, pea aphid, and Phytophthora root rot; with resistance to spotted alfalfa aphid and stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

## **Procedures for Maintaining Seed Stock**

**Generations Allowed –** 

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 2), foundation (Syn 3 or 4), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn 2) was grown in cage isolation in Connell, WA in 2014. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW1404 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Mark All That Apply	If None, Please State						
Foundation X	Foundation 3 years						
Registered	Registered						
Certified X	Certified 6 years						
<b>PVP Information</b> No decision has been made regarding submission of an application for Plant Variety Protection. If application is made, the Title V certification option will not be selected. Descriptive information can be provided to the PVP office.							
Date this application was submitted: Nov 29, 2018	8 Date recommended by the VRB: Feb 7, 2019						

Length of Stand Limitation –



# SW1412Y, 14YYP12, W13YYP81(Exp)

## **Origin and Breeding History**

SW1412Y, 14YYP12, W13YYP81 (all experimental designations) is an intracross of 108 parent plants (Syn 1) selected by S&W Seed Company from S&W experimentals selected for forage yield, persistence, forage quality, standability and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (Race 1 and Race 2). Parent plants were identified using phenotypic selection in selection nurseries for increased forage quality, persistence, agronomic characteristics and improved forage yield. Breeder seed (Syn 1) was grown in greenhouse isolation in Arlington, WI in 2013. Seed was bulked in total.

#### **Areas of Probable Adaptation**

This variety is adapted to the North Central, East Central and the Moderately Winterhardy Intermountain areas of the United States. SW1412Y has been tested in Wisconsin, Washington, Minnesota and Michigan. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

# **Agronomic and Botanical Characteristics**

SW1412Y is moderately dormant, similar to the FD 4 check. It is very winterhardy. Flower color (Syn 3) is 98% purple, 1% white, with a trace of yellow, variegated, and cream. SW1412Y is highly resistant to Anthracnose (Race 1), Aphanomyces root rot (Race 1), bacterial wilt, Verticillium wilt, Fusarium wilt, pea aphid, Phytophthora root rot and stem nematode; with resistance to spotted alfalfa aphid. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

## **Procedures for Maintaining Seed Stock**

S&W Seed Company will maintain sufficient breeder seed (Syn 1) and/or foundation seed (Syn 2, or Syn 3) and/or certified seed (Syn 3, Syn 4 or Syn 5) for the projected life of the variety. Production of Syn 3 foundation seed requires the consent of the breeder. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Breeder seed (Syn 1) was grown in greenhouse isolation in Arlington, WI in 2013. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW1412Y is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Length of Stand Limitation –							
Mark All That Apply		If Non	If None, Please State				
Foundation	X	Found	ation	3 years			
Registered		Regist	ered				
Certified	X	Certifi	ed	6 years			
PVP Informati	on						
No decision has be	en made regarding s			Plant Variety Protection. If ap tion can be provided to the P			
Date this applicat	ion was submitted:	Nov 29, 2018	Date	recommended by the VRB:	Feb 7, 2019		



# SW15WPQ09, 15XXP09, W14XXP64 (Exp)

### **Origin and Breeding History**

SW15WPQ09, 15XXP09, W14XXP64, (all experimental designations), is an intracross of 171 parent plants (Syn 1) selected by S&W Seed Company from S&W experimentals selected for forage yield, persistence, forage quality, and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (Race 1 and Race 2). Parent plants were identified using phenotypic selection in selection nurseries for increased forage quality, persistence, agronomic characteristics and improved forage yield. Breeder seed (Syn 1) was grown in cage isolation in Connell, WA in 2015. Seed was bulked in total.

# **Areas of Probable Adaptation**

This variety is adapted to the North Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain regions of the United States and Canada. SW15WPQ09 has been tested in Wisconsin, Washington, Idaho and Canada. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

#### **Agronomic and Botanical Characteristics**

SW15WPQ09 is moderately dormant, similar to the FD 5 check. It is very winterhardy. Flower color (Syn 3) is 99% purple, with a trace of yellow, white, variegated, and cream. SW15WPQ09 is highly resistant to Anthracnose (Race 1), Aphanomyces root rot (Race 1 and Race 2), bacterial wilt, Verticillium wilt, Fusarium wilt, and Phytophthora root rot; with resistance to spotted alfalfa aphid, pea aphid and stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

#### **Procedures for Maintaining Seed Stock**

S&W Seed Company will maintain sufficient breeder seed (Syn 1) and/or foundation seed (Syn 2, or Syn 3) and/or certified seed (Syn 3, Syn 4 or Syn 5) for the projected life of the variety. Production of Syn 3 foundation seed requires the consent of the breeder. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Breeder seed (Syn 1) was grown in cage isolation in Connell, WA in 2015. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW15WPQ09 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Le		Length of S	Length of Stand Limitation –			
Mark All That Apply If None, Please State			ase State			
Foundation	X	Foundation	3 years			
Registered		Registered				
Certified	X	Certified	6 years			
PVP Informatio	n					
			r Plant Variety Protection. If apnation can be provided to the P			
Date this applicat	tion was submitted:	Nov 29, 2018 Da	te recommended by the VRB:	Feb 7, 2019		



# **SW15XCA11, 15XXC11, N14XXC70 (Exp)**

## **Origin and Breeding History**

SW15XCA11, 15XXC11, N14XXC70 (all experimental designations), is a 17 clone synthetic in which all parents originated from S&W germplasms, and were selected by S&W Seed Company from S&W experimentals selected based on half sib performance for forage yield, persistence, forage quality, and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (Race 1 and Race 2). Breeder seed (Syn 1) was grown in cage isolation in Connell, WA in 2015 on 6 replicates of 19 parent plants. Seed was harvested by parent and bulked equally.

#### **Areas of Probable Adaptation**

This variety is adapted to the North Central, East Central, Winterhardy Intermountain, and Moderately Winterhardy Intermountain areas of the United States. SW15XCA11 has been tested in Wisconsin, Idaho, Washington, Minnesota, and Pennsylvania. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

# **Agronomic and Botanical Characteristics**

SW15XCA11 is moderately dormant, similar to the FD 5 check. It is very winterhardy. Flower color (Syn 3) is 99% purple, with a trace of variegated, white, yellow, and cream. SW15XCA11 is highly resistant to Anthracnose (Race 1), Aphanomyces root rot (Race 1 and Race 2), bacterial wilt, Verticillium wilt, Fusarium wilt, and Phytophthora root rot; with resistance to spotted alfalfa aphid and pea aphid. SW15XCA11 is moderately resistant to stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

## **Procedures for Maintaining Seed Stock**

**Generations Allowed –** 

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2 or 3), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn 1) was grown in cage isolation in Connell, WA in 2015. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW15XCA11 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Mark All That Apply If None, Please State						
Foundation X		Foundatio	n	3 years		
Registered		Registered	 d			
Certified X		Certified		6 years		
<b>PVP Information</b> No decision has been made the Title V certification of						
Date this application wa	s submitted:	Nov 29, 2018	Date re	commended by the	· VRB:	Feb 7, 2019

Length of Stand Limitation -



# SW15XPQ06, 15XXP06, W14XXP61 (Exp)

## **Origin and Breeding History**

SW15XPQ06, 15XXP06, W14XXP61, (all experimental designations), is an intracross of 109 parent plants (Syn 1) selected by S&W Seed Company from S&W experimentals selected for forage yield, persistence, forage quality, and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (Race 1 and Race 2). Parent plants were identified using phenotypic selection in selection nurseries for increased forage quality, persistence, agronomic characteristics and improved forage yield. Breeder seed (Syn 1) was grown in greenhouse isolation in Arlington, WI in 2014. Seed was bulked in total.

#### **Areas of Probable Adaptation**

This variety is adapted to the North Central, East Central, Winterhardy Intermountain, and Moderately Winterhardy Intermountain areas of the United States and Canada. SW15XPQ06 has been tested in Wisconsin, Idaho, Washington, Minnesota, Pennsylvania and Canada. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

#### **Agronomic and Botanical Characteristics**

SW15XPQ06 is moderately dormant, similar to the FD 5 check. Flower color (Syn 3) is 99% purple, with a trace of variegated, white, yellow, and cream. SW15XPQ06 is highly resistant to Anthracnose (Race 1), Aphanomyces root rot (Race 1 and Race 2), Verticillium wilt, and Phytophthora root rot; with resistance to spotted alfalfa aphid, pea aphid, and stem nematode. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

## **Procedures for Maintaining Seed Stock**

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2 or 3), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn 1) was grown in greenhouse isolation in Arlington, WI in 2014. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW15XPQ06 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Length of Stan		i Stand Limitatioi	a —			
Mark All That Apply If None, Please State						
Foundation	X	Foundati	on 3 years			
Registered		Registere	ed	_		
Certified	X	Certified	6 years	<u> </u>		
		ubmission of an application be selected. Descriptive in				
Date this application	was submitted:	Nov 29, 2018	Date recommended	l by the VRB:	Feb 7, 2019	



# SW15XPQ15, 15XXP15, N14XXP74 (Exp)

## **Origin and Breeding History**

SW15XPQ15, 15XXP15, N14XXP74 (all experimental designations), is an intercross of 144 parent plants (Syn 1) selected by S&W Seed Company from S&W experimentals selected for forage yield, persistence, forage quality, and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1 and Race 2) and stem nematode. Parent plants were identified using phenotypic selection in selection nurseries for increased forage quality, persistence, agronomic characteristics and improved forage yield. Breeder seed (Syn 1) was grown in greenhouse isolation in Connell, WA in 2014. Seed was bulked in total.

#### **Areas of Probable Adaptation**

This variety is adapted to the North Central, East Central, Winterhardy Intermountain, and Moderately Winterhardy Intermountain areas of the United States and Canada. SW15XPQ15 has been tested in Wisconsin, Idaho, Washington, Minnesota, Pennsylvania and Canada. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

#### **Agronomic and Botanical Characteristics**

SW15XPQ15 is moderately dormant, similar to the FD 4 check. It is very winterhardy. Flower color (Syn 3) is 99% purple, with a trace of variegated, white, yellow, and cream. SW15XPQ15 is highly resistant to Anthracnose (Race 1), Aphanomyces root rot (Race 1 and Race 2), bacterial wilt, Verticillium wilt, Phytophthora root rot, and Fusarium wilt; with resistance to spotted alfalfa aphid, and pea aphid. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

## **Procedures for Maintaining Seed Stock**

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2 or 3), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn 1) was grown in greenhouse isolation in Connell, WA in 2014. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW15XPQ15 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Generations Allowed – Length of Stand L		a Limitation –			
Mark All That Apply	If None, Please	f None, Please State			
Foundation X	Foundation	3 years			
Registered	Registered				
Certified X	Certified	6 years			
<b>PVP Information</b> No decision has been made regarding sulthe Title V certification option will not be					
Date this application was submitted:	Nov 29, 2018 Date	recommended by the VRB:	Feb 7, 2019		



# SW15YCA20, 15YXC20, N14YXC92 (Exp)

## **Origin and Breeding History**

SW15YCA20, 15YXC20, N14YXC92, (all experimental designations), is a 16 clone synthetic in which all parents originated from S&W germplasms, and were selected by S&W Seed Company from S&W experimentals based on half sib performance for forage yield, persistence, forage quality, standability and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, and Aphanomyces root rot (Race 1 and Race 2). Breeder seed (Syn 1) was grown in cage isolation in Connell, WA in 2015 on 6 replicates of 16 parent plants. Seed was harvested by parent and bulked equally.

#### **Areas of Probable Adaptation**

This variety is adapted to the North Central, East Central, Moderately Winterhardy Intermountain, Winter hardy Intermountain areas of the United States and Canada. SW15YCA20 has been tested in Washington, Wisconsin, Pennsylvania, Minnesota, Idaho and Guelph Ontario, Canada. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

#### **Agronomic and Botanical Characteristics**

SW15YCA20 is moderately dormant, similar to the FD 5 check. It is extremely winterhardy. Flower color (Syn 3) is 85% purple, 10% variegated, 4% white, with a trace of yellow and cream. SW15YCA20 is highly resistant to Aphanomyces root rot (Race 1 and Race 2), bacterial wilt, Verticillium wilt, Fusarium wilt, pea aphid, and Phytophthora root rot; with resistance to spotted alfalfa aphid. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

## **Procedures for Maintaining Seed Stock**

Generations Allowed –

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2 or 3), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn 1) was grown in cage isolation in Connell, WA in 2015. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW15YCA20 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Mark All That Apply		If None	If None, Please State			
Foundation	X	Founda	ition	3 years		
Registered		Registe	red			
Certified	X	Certifie	ed	6 years		
PVP Inform	ation					
No decision has	been made regarding s	ubmission of an applica	tion for Pla	ant Variety Protection. If ap	plication is made, th	
Title V certifica	tion option will not be	selected. Descriptive int	formation c	an be provided to the PVP	office.	
Date this appli	cation was submitted:	Nov 29, 2018	Date re	ecommended by the VRB:	Feb 7, 2019	

Length of Stand Limitation –



# SW16XPS16, W15XPS60 (Exp)

## **Origin and Breeding History**

SW16XPS16, W15XPS60, (both are experimental designations), is an intracross of 99 parent plants (Syn 1) selected by S&W Seed Company from 2 S&W varieties selected for forage yield, persistence, forage quality, salt tolerance and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot and Aphanomyces root rot (Race 1). Parent plants were identified using phenotypic selection in selection nurseries for increased forage quality, persistence, agronomic characteristics and improved forage yield. Breeder seed (Syn 1) was grown in greenhouse isolation in Arlington, WI in 2015. Seed was bulked in total.

#### **Areas of Probable Adaptation**

This variety is adapted to the North Central, East Central, and Winterhardy Intermountain areas of the United States and Canada. SW16XPS16 has been tested in Wisconsin, Idaho, Minnesota, Pennsylvania and Canada. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

## **Agronomic and Botanical Characteristics**

SW16XPS16 is moderately dormant, similar to the FD 5 check. Flower color (Syn 3) is 96% purple, 3% white, with a trace of variegated, yellow, and cream. SW16XPS16 is highly resistant to Anthracnose (Race 1), Aphanomyces root rot (Race 1), bacterial wilt, Verticillium wilt, and Phytophthora root rot; with resistance to Aphanomyces root rot (Race 2), pea aphid, and spotted alfalfa aphid. SW16XPS16 has improved forage production under salt stress similar to the tolerant check. This variety has improved salt tolerance of germinating alfalfa seeds similar to the tolerant check. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

## **Procedures for Maintaining Seed Stock**

Generations Allowed –

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2 or 3), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn 1) was grown in in greenhouse isolation in Arlington, WI in 2015. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

#### Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW16XPS16 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

Mark All That Apply If		If None, Plea	If None, Please State				
Foundation	X	Foundation	3 years				
Registered		Registered					
Certified	X	Certified	6 years				
	been made regarding s		r Plant Variety Protection. If ap nation can be provided to the P	-			
Date this applic	cation was submitted:	Nov 29, 2018 Da	te recommended by the VRB:	Feb 7, 2019			

Length of Stand Limitation -



# SW16ZPD02, 16ZPD02, W15ZPD41 (Exp)

## **Origin and Breeding History**

SW16ZPD02, 16ZPD02, W15ZPD41 (all experimental designations), is an intracross of 134 parent plants (Syn 1) in which all parents originated from S&W germplasms, and were selected for forage yield under potato leafhopper pressure, persistence, forage quality, and resistance to one or more of the following diseases or pests: bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (Race 1 and Races 2), and potato leafhopper resistance. Parent plants were identified using phenotypic selection in selection nurseries for increased forage quality, persistence, agronomic characteristics, potato leafhopper resistance, and improved forage yield. Breeder seed (Syn 1) was grown in cage isolation in 2016 in Connell, WA, and was bulked in total.

## **Areas of Probable Adaptation**

This variety is adapted to the North Central and East Central areas of the United States. SW16ZPD02 has been tested in Ohio and Wisconsin. Areas of intended use are: North Central, East Central, Moderately Winterhardy Intermountain, Winterhardy Intermountain and Great Plains areas of the United States and Canada and similar environments.

# **Agronomic and Botanical Characteristics**

SW16ZPD02 is moderately dormant, similar to the FD 4 check. Flower color (Syn 2) is 98% purple, 1% yellow, with a trace of variegated, white and cream. SW16ZPD02 is highly resistant to Anthracnose (Race 1), Aphanomyces root rot (Race 1 and Race 2), bacterial wilt, Verticillium wilt, potato leafhopper, and Phytophthora root rot; with resistance to pea aphid. It has not been tested for other pest reactions. This variety is suitable for use in producing hay, haylage, greenchop, and dehydrated product.

## **Procedures for Maintaining Seed Stock**

Seed increase is on a limited generation basis with one generation of breeder, two generations of foundation and three generations of certified seed classes. Breeder (Syn 1), foundation (Syn 2 or 3), and certified (Syn 3, 4 or Syn 5) classes will be recognized. Production of Syn 3 foundation seed requires consent of the breeder. Breeder seed (Syn 1) was grown in cage isolation in 2016 in Connell, WA. S&W Seed Co. will maintain sufficient breeder and foundation seed for the projected life of the variety. Seed stock will be maintained in secure climate controlled S&W Seed Company seed storage facilities. Stands of foundation and certified seed fields are limited to 3 and 6 years, respectively.

## Certified Seed Availability and Publication of Certified Seed Production

Certified seed may be available for sale in the spring of 2019 if SW16ZPD02 is recommended for certification.

The applicant requests that certified seed acreage not be published by AOSCA and its agencies.

<b>Generations Al</b>	lowed –	Length of Stand Limitation –				
Mark All That Apply If N			If None, Please State			
Foundation	X	Foundati	on 3 years			
Registered		Registere	ed	_		
Certified	X	Certified	6 years	<u>-</u>		
PVP Informat	tion					
		submission of an application be selected. Descriptive is				
Date this applica	ation was submitted:	Nov 29, 2018	Date recommended	by the VRB:	Feb 7, 2019	



# SW4203Z, 12ZZC03, W11ZZC55 (Exp) (Amended – High Resistance (HR) to Aphanomyces Root Rot Disease)

Variety Name

	Experimental Designatio	n(s) SW42032	Z, 12ZZC	03, W11ZZC55	_
	Date A&MLVRB first re	ecommended this	variety	February 1, 2016	_
	Date(s) any previous amendments were recommended				
	Date this amendment wa	s submitted No	ovember 3	30, 2017	_
From S&W germpla pressure, potato lead pacterial wilt, <i>Fusan</i> eafhopper resistance greenhouse isolation	ding History 13, W11ZZC55 (all experiments were selected based or shopper resistance, persistent wilt, Verticillium wilt, in 2011 on 10 replicates of all individual replicate and	n half sib perform nce, forage qualit <i>Phytophthora</i> ro bulked equally by of each 18 parent	nance for the sy, and or so rot, <i>Ap</i> y componer plants in <i>A</i>	forage yield under hear resistance to one or mananomyces root rot (Fent. Breeder seed (SYArlington, WI. SYN	avy potato leafhopper nore of the following pests: Race1&2), and potato 'N 1) was grown in
nas been tested in W	-	. Areas of intend	ed use are	: North Central, East	lar environments. SW4203Z Central, Moderately
SW4203Z is moder, cream, 7% variegate pacterial wilt, <i>Fusan</i> eafhopper and pea	Botanical Characteristic ately dormant, similar to the ed, and 16% white with a train wilt, Verticillium wilt, aphid, and resistant to spott a producing hay, haylage, grant to spott a producing hay, haylage, grant to spott a producing hay, haylage, grant to spott the producing hay, haylage, grant to spott the producing hay, haylage, grant to spott the spott that the spott the spott that the spott the spott that the spott t	e FD 4 check. It ace of yellow. SV <i>Phytophthora</i> roted alfalfa aphid.	W4203Z i oot rot, <i>Ap</i> It has no	s highly resistance to hanomyces root rot (Fit been tested for other	Anthracnose (Race 1),
S&W Seed Compar seed (Syn 3, Syn 4 o		life of the variety	. Producti	on of Syn 4 foundation	Syn 3) seed and/or certified on seed requires the consent y seed storage facilities.
Certified seed may	vailability and Publicat be available for sale in 2016 sts that certified seed acrea	6 of SW4203Z.			
Generations Allow Mark All That Ap Foundation Registered Certified		Length of Stand Limitation – If None, Please State			
	X	Foundation		3 years	
	X	Registered Certified		6 years	
	n n made regarding submissi tion option will not be selec		ion for Pla	ant Variety Protection	. If application is made,
Γhe information in t	this application may not be	forwarded to the	PVP offi	ce.	
Date this application	on was submitted: Nov 2	9, 2018	Date r	ecommended by the V	/RB: Feb 7, 2019



# SW4306, 13XXC06, N12XYC72 (Exp) (Amended – High Resistance (HR) to Stem Nematode)

Variet	Name				
Exper	Experimental Designation(s) SW4306, 13XXC06, N12XYC72				
Date A	Date A&MLVRB first recommended this variety February 1, 2016  Date(s) any previous amendments were recommended				
Date(s					
Date t	s amendment was submitted November 30, 2018				
germplasms were selected one or more of the following rot (Race1&2) and stem ne in greenhouse isolation in 2	C72 (all experimental designations) is a 34 clone synthetic. All parents originated from S&W sed on half sib performance for forage yield, persistence, forage quality, and or resistance to pests: bacterial wilt, <i>Fusarium</i> wilt, <i>Verticillium wilt</i> , <i>Phytophthora</i> root rot, <i>Aphanomyces</i> root atode. Seed of the SYN 1 was bulked equally by component. Breeder seed (SYN 1) was grown 12 in Connell, WA on 6 replicates of each 34 parents started in the greenhouse as cuttings and ing. SYN 1 seed was harvested by parent plant bulking all individual replicate and bulked				
environments. SW4306 has	ation orth Central, and Moderately Winterhardy Intermountain areas of the United States and similar been tested in Washington, and Wisconsin. Areas of intended use are: North Central, East ardy Intermountain, Winterhardy Intermountain, Great Plains, and Canada.				
yellow, white and cream. S rot, spotted alfalfa aphid, st Anthracnose (Race 1), Fus.	And the similar to the FD 4 check. Flower color (Syn 3) is 99% purple, with traces of variegated, and similar to the FD 4 check. Flower color (Syn 3) is 99% purple, with traces of variegated, and an interest to an ematter of the similar to an ematter of the similar to an interest of the similar to the similar traces of variegated, and the similar traces of variegate				
seed (Syn 3, Syn 4 or Syn 5	ing Seed Stock sintain sufficient breeder seed (Syn 1) and/or foundation (Syn 2 or Syn 3) seed and/or certified for the projected life of the variety. Production of Syn 4 foundation seed requires the consent ll be maintained in secure climate-controlled S&W Seed Company seed storage facilities.				
Certified seed may be avail	ty and Publication of Certified Seed Production ble for sale in 2016 of SW4306. ertified seed acreage not be published by AOSCA and its agencies.				
Generations Allowed – Mark All That Apply Foundation X Registered Certified X	Length of Stand Limitation –  If None, Please State  Foundation 3 years  Registered  Certified 6 years				
PVP Information No decision has been made the Title V certification opt	garding submission of an application for Plant Variety Protection. If application is made, n will not be selected.				
The information in this app	cation may not be forwarded to the PVP office.				
Date this application was	bmitted: Nov 29, 2018 Date recommended by the VRB: Feb 7, 2019				



# **Hairy Vetch**

# Patagonia INTA Ascasubi INTA (Exp)

#### **Origin and Breeding History**

PATAGONIA INTA breeding program was conducted at the research station EEA H. Ascasubi of the National Institute for Agricultural Technology (INTA), in the south west of Buenos Aires province. The variety is a result of a five year selection period. The genetic background of PATAGONIA INTA are different populations (biotypes) from farmers. The breeding method begun with the evaluation of the local biotypes and then mass selection where individual plants were evaluated and those showing faster establishment, high number of stems/plant, resistance to foliar disease and synchronized flowering time, were selected. Cold and drought tolerance and total biomass production were also important selection criteria. Breeder seed was first produced in 2010. This variety is registered in Argentina under the name of ASCASUBI INTA.

#### **Areas of Probable Adaptation**

This variety has not been evaluated in United States although, areas were hairy vetch is adapted and with similar weather conditions where the variety was developed and tested are probable of adaptation. The variety was evaluated in the Pampean Region of Argentina. It showed excellent frost tolerance in different evaluations in the experimental field of H. Ascasubi, Pergamino, Balcarce and Oliveros. No plant mortality was observed, even after occasional snow events.

	nt mortality was observed, even after occasional snow events.				
Agronomic and Botanical Characteristics Classification: Vicia villosa Roth Ploidy Diploid % Flowering Seedling Year 100% Stem Hairiness Present	Productive Persistence Annual Flower Color Violet % Leaf Marking at 50% Flowering				
Description of Variants: None observe	d				
Additional Description and/or Information about Physiology, Pest Reaction, and Other Varietal Attributes  Procedures for Maintaining Seed Stock  Part of the breeder seed harvested in 2010 is stored in the cold chamber (<10 ° C) at the research station. The following multiplications will be made with an isolation of 200 meters for original (Breeder), 100 meters, or what is required by AOSCA for first multiplication (Foundation or Registered) and 50 meters, or what is required by AOSCA for second and third multiplication (Certified). INTA will be the entity responsible for maintaining seed stocks.					
Certified Seed Availability and Publication o Certified seed may be available in 2020.	f Certified Seed Production				
Mark All That ApplyIfFoundationXRegisteredXResponsible to the control of t	Length of Stand Limitation –  f None, Please State  oundation 1 Legistered 1 Lertified 1				
Without any limitations on production fields, except					
<b>PVP Information</b> Is registered and protected in the National Institute of for US PVP has been made, currently.	f Seeds (INASE) in Argentina. No decision for making an application				
Date this application was submitted: Nov 29, 2018 Date recommended by the VRB: Mar 14, 2019					

